

PRICE LIST 2019-2

MORELO PALACE . PALACE LINER | MORELO EMPIRE . EMPIRE LINER



Dear friends! let yourself be inspired by elegant designs, sophisticated technology features and first-class equipment options!

Send your holiday dreams to travel and discover the world of First Class Motorhomes.





MODEL OVERVIEW

MORELO PALACE ON IVECO DAILY

PALACE 85 L



PALACE 88 LB



PALACE 90 LS



PALACE 93 LSB



PALACE 90 M



PALACE 93 MB



PALACE 90 G



All layouts on IVECO Daily also available in **XL width.**

PALACE LINER 85 L



PALACE LINER 88 LB

PALACE LINER 90 LS





PALACE LINER 90 M





PALACE LINER 90 G





PALACE LINER 99 GSB





PALACE LINER 108 GSB





PALACE 85 L

PALACE 88 LB







incl. scooter garage

الله

incl. scooter garage

| | IVECO Daily 70 C 18 (7.490 kg) | IVECO Daily 70 C 18 (7.490 kg) |
|---|-----------------------------------|-----------------------------------|
| Serial diesel engine (cylinders) | 4 | 4 |
| Cubic capacity (litres) | 3 | 3 |
| Max. power (KW/HP) | 132 / 180 | 132 / 180 |
| Max. torque (Nm) | 430 | 430 |
| Emission class | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 7.490 | 7.490 |
| Mass in running order (kg) ¹ | 5.350 | 5.420 |
| Payload (kg) ¹ | 2.140 | 2.070 |
| Tow load with fixed / removable ball head (kg) | 3.500 | 3.500 |
| Permissible max. train weight with fixed / removable ball head (kg) | 10.700 | 10.700 |
| Total length (mm) | 8.690 | 8.990 |
| Total width/XL width (mm) | 2.400 / 2.500² | 2.400 / 2.500² |
| Total height (mm) | 3.490³ | 3.490³ |
| Wheel base (mm) | 4.750 | 4.900 / 4.750 4 |
| Lounge bench, left (mm) | 1.440 x 1.000 | 1.740 × 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 × 650 |
| Rear bed (mm) | 2 × 2.000 × 1.060 | 2 × 2.000 × 1.060 |
| Folding bed (option) (mm) | 2.000 x 1.300 | 2.000 × 1.300 |
| Rear garage door (clear height x width in mm) | 1.230 x 1.120 | 1.230 x 1.120 |
| 2) Surcharge for XL width (payload -100 kg) | 217.500,00 € 5.000,00 € | 222.500,00 € 5.000,00 € |

PALACE 90 LS

PALACE 93 LSB









| | IVECO Daily 70 C 18 (7.490 kg) | IVECO Daily 70 C 18 (7.490 kg) |
|---|-----------------------------------|-----------------------------------|
| Serial diesel engine (cylinders) | 4 | 4 |
| Cubic capacity (litres) | 3 | 3 |
| Max. power (KW/HP) | 132 / 180 | 132 / 180 |
| Max. torque (Nm) | 430 | 430 |
| Emission class | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 7.490 | 7.490 |
| Mass in running order (kg) ¹ | 5.500 | 5.600 |
| Payload (kg) ¹ | 1.990 | 1.890 |
| Tow load with fixed / removable ball head (kg) | 3.500 | 3.500 |
| Permissible max. train weight with fixed / removable ball head (kg) | 10.700 | 10.700 |
| | | |
| Total length (mm) | 9.190 | 9.490 |
| Total width/XL width (mm) | 2.400 / 2.5002 | 2.400 / 2.500² |
| Total height (mm) | 3.490 ³ | 3.490 ³ |
| Wheel base (mm) | 5.100 / 4.9004 | 5.100 |
| Lounge bench, left (mm) | 1.440 x 1.000 | 1.740 x 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2 x 2.000 x 1.060 | 2 x 2.000 x 1.060 |
| Folding bed (option) (mm) | 2.000 x 1.300 | 2.000 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.230 x 1.120 | 1.230 x 1.120 |
| 2) Surcharge for XL width (payload -100 kga) | 222.500,00 € 5.000,00 € | 224.500,00 € 5.000,00 € |

Prices in Euro (incl. 20 % VAT)

PALACE 90 M

PALACE 93 MB







incl scooter darage



incl. scooter garage

| | IVECO Daily 70 C 18 (7.490 kg) | IVECO Daily 70 C 18 (7.490 kg) |
|---|-----------------------------------|-----------------------------------|
| Serial diesel engine (cylinders) | 4 | 4 |
| Cubic capacity (litres) | 3 | 3 |
| Max. power (KW/HP) | 132 / 180 | 132 / 180 |
| Max. torque (Nm) | 430 | 430 |
| Emission class | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 7.490 | 7.490 |
| Mass in running order (kg) ¹ | 5.500 | 5.600 |
| Payload (kg) ¹ | 1.990 | 1.890 |
| Tow load with fixed / removable ball head (kg) | 3.500 | 3.500 |
| Permissible max. train weight with fixed / removable ball head (kg) | 10.700 | 10.700 |
| | | I |
| Total length (mm) | 9.190 | 9.490 |
| Total width/XL width (mm) | 2.400 / 2.500 ² | 2.400 / 2.500² |
| Total height (mm) | 3.490 ³ | 3.490 ³ |
| Wheel base (mm) | 5.100 / 4.9004 | 5.100 |
| Lounge bench, left (mm) | 1.440 × 1.000 | 1.740 × 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2.000 x 1.630 | 2.000 x 1.630 |
| Folding bed (option) (mm) | 2.000 x 1.300 | 2.000 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.230 x 1.120 | 1.230 x 1.120 |
| 2) Surcharge for XL width (payload -100 kg) | 222.500,00 € 5.000,00 € | 224.500,00 € 5.000,00 € |

PALACE 90 G





IVECO Daily 70 C 18

(7.490 kg)

| Serial diesel engine (cylinders) | 4 | |
|---|---|--|
| Cubic capacity (litres) | 3 | |
| Max. power (KW/HP) | 132 / 180 | |
| Max. torque (Nm) | 430 | |
| Emission class | EURO 6 | |
| Technically permissible max. weight (kg) ¹ | 7.490 | |
| Mass in running order $(kg)^{\rm 1}$ | 5.720 | |
| Payload (kg) ¹ | 1.770 | |
| Tow load with fixed / removable ball head (kg) | 2.500 | |
| Permissible max. train weight with fixed / removable ball head $\langle kg \rangle$ | 10.700 | |
| | | |
| Total length (mm) | 9.490 | |
| Total width/XL width (mm) | 2.400 / 2.500 | |
| Total height (mm) | 3.490 ³ | |
| Wheel base (mm) | 5.100 | |
| Lounge bench, left (mm) | 1.440 x 1.000 | |
| Couch, right (mm) | 1.250 × 650 | |
| Rear bed (mm) | 2.000 x 1.630 | |
| Folding bed (option) (mm) | 2.000 x 1.300 | |
| Rear garage door (clear height x width in mm) | 1.570×2.000 incl. electrical hatch | |
| 2) Surcharge for XL width | 247.500,00€ | |

Prices in Euro (incl. 20 % VAT)

1) see back $\,$ 3) if leaf springs on the rear axle + 100 mm

PALACE LINER 85 L

PALACE LINER 88 LB







incl. scooter garage



incl. scooter garage

| _ | IVECO Eurocargo 100 E 25 | Mercedes Benz Atego 924 | IVECO Eurocargo 100 E 25 | Mercedes Benz Atego 924 |
|---|-----------------------------|----------------------------|-----------------------------|----------------------------|
| Serial diesel engine (cylinders) | 6 | 6 | 6 | 6 |
| Cubic capacity (litres) | 6,7 | 7,7 | 6,7 | 7,7 |
| Max. power (KW/HP) | 185 / 251 | 175 / 238 | 185 / 251 | 175 / 238 |
| Max. torque (Nm) | 850 | 1.000 | 850 | 1.000 |
| Emission class | EURO 6 | EURO 6 | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 10.000 | 10.500 | 10.000 | 10.500 |
| Mass in running order $(kg)^{1}$ | 6.755 | 7.150 | 6.825 | 7.220 |
| Payload (kg) ¹ | 3.245 | 3.350 | 3.175 | 3.280 |
| Tow load with fixed / removable ball head (kg) | 3.500 / 3.500 | 3.500 / 3.020 | 3.500 / 3.500 | 3.500 / 3.020 |
| Permissible max. train weight with fixed / removable ball head (kg) | 13.500 / 13.500 | 14.000 / 13.520 | 13.500 / 13.500 | 14.000 / 13.520 |
| Total length (mm) | 8.690 | 8.690 | 8.990 | 8.990 |
| Total width/XL width (mm) | 2.500 | 2.500 | 2.500 | 2.500 |
| Total height (mm) | 3.610 | 3.610 | 3.610 | 3.610 |
| Wheel base (mm) | 4.455 | 4.520 | 4.455 | 4.520 |
| Lounge bench, left (mm) | 1.440 x 1.000 | 1.440 x 1.000 | 1.740 x 1.000 | 1.740 x 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2 × 2.000 × 1.060 | 2 × 2.000 × 1.060 | 2 × 2.000 × 1.060 | 2 × 2.000 × 1.060 |
| Folding bed (option) (mm) | 2.100 x 1.300 | 2.100 x 1.300 | 2.100 x 1.300 | 2.100 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.230 x 1.120 | 1.230 x 1.120 | 1.230 x 1.120 | 1.230 x 1.120 |
| | 263.900,00€ | 284.900,00 € | 267.900,00€ | 288.900,00€ |

PALACE LINER 90 LS PALACE LINER 93 LSB









| _ | IVECO Eurocargo 100 E 25 | Mercedes Benz Atego 924 | IVECO Eurocargo 100 E 25 | Mercedes Benz Ateg 924 |
|---|-----------------------------|----------------------------|-----------------------------|---------------------------|
| Serial diesel engine (cylinders) | 6 | 6 | 6 | 6 |
| Cubic capacity (litres) | 6,7 | 7,7 | 6,7 | 7,7 |
| Max. power (KW/HP) | 185 / 251 | 175 / 238 | 185 / 251 | 175 / 238 |
| Max. torque (Nm) | 850 | 1.000 | 850 | 1.000 |
| Emission class | EURO 6 | EURO 6 | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 10.000 | 10.500 | 10.000 | 10.500 |
| Mass in running order (kg) ¹ | 6.805 | 7.200 | 6.905 | 7.300 |
| Payload (kg) ¹ | 3.195 | 3.300 | 3.085 | 3.200 |
| Tow load with fixed / removable ball head (kg) | 3.500 / 3.500 | 3.500 / 3.020 | 3.500 / 3.500 | 3.500 / 3.020 |
| Permissible max. train weight with fixed / removable ball head (kg) | 13.500 / 13.500 | 14.000 / 13.520 | 13.500 / 13.500 | 14.000 / 13.520 |
| Total length (mm) | 9.190 | 9.190 | 9.490 | 9.490 |
| Total width/XL width (mm) | 2.500 | 2.500 | 2.500 | 2.500 |
| Total height (mm) | 3.610 | 3.610 | 3.610 | 3.610 |
| Wheel base (mm) | 4.670 | 4.520 | 4.815 | 4.820 |
| Lounge bench, left (mm) | 1.440 x 1.000 | 1.440 x 1.000 | 1.740 x 1.000 | 1.740 x 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2 x 2.000 x 1.060 | 2 x 2.000 x 1.060 | 2 × 2.000 × 1.060 | 2 x 2.000 x 1.060 |
| Folding bed (option) (mm) | 2.100 x 1.300 | 2.100 x 1.300 | 2.100 x 1.300 | 2.100 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.230 x 1.120 | 1.230 x 1.120 | 1.230 x 1.120 | 1.230 x 1.120 |
| | 269.900,00€ | 290.900,00 € | 270.900,00 € | 291.900,00€ |

Prices in Euro (incl. 20 % VAT)

1) see back

PALACE LINER 90 M

PALACE LINER 93 MB







incl. scooter garage



incl. scooter garage

| _ | IVECO Eurocargo 100 E 25 | Mercedes Benz Atego 924 | IVECO Eurocargo 100 E 25 | Mercedes Benz Atego 924 |
|---|-----------------------------|----------------------------|-----------------------------|----------------------------|
| Serial diesel engine (cylinders) | 6 | 6 | 6 | 6 |
| Cubic capacity (litres) | 6,7 | 7,7 | 6,7 | 7,7 |
| Max. power (KW/HP) | 185 / 251 | 175 / 238 | 185 / 251 | 175 / 238 |
| Max. torque (Nm) | 850 | 1.000 | 850 | 1.000 |
| Emission class | EURO 6 | EURO 6 | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 10.000 | 10.500 | 10.000 | 10.500 |
| Mass in running order $(kg)^{1}$ | 6.805 | 7.200 | 6.905 | 7.300 |
| Payload (kg) ¹ | 3.185 | 3.300 | 3.085 | 3.200 |
| Tow load with fixed / removable ball head (kg) | 3.500 / 3.500 | 3.500 / 3.020 | 3.500 / 3.500 | 3.500 / 3.020 |
| Permissible max. train weight with fixed / removable ball head (kg) | 13.500 / 13.500 | 14.000 / 13.520 | 13.500 / 13.500 | 14.000 / 13.520 |
| Total length (mm) | 9.190 | 9.190 | 9.490 | 9.490 |
| Total width/XL width (mm) | 2.500 | 2.500 | 2.500 | 2.500 |
| Total height (mm) | 3.610 | 3.610 | 3.610 | 3.610 |
| Wheel base (mm) | 4.670 | 4.520 | 4.815 | 4.820 |
| Lounge bench, left (mm) | 1.440 x 1.000 | 1.440 x 1.000 | 1.740 x 1.000 | 1.740 × 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2.000 x 1.630 | 2.000 x 1.630 | 2.000 x 1.630 | 2.000 x 1.630 |
| Folding bed (option) (mm) | 2.100 x 1.300 | 2.100 x 1.300 | 2.100 x 1.300 | 2.100 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.230 × 1.120 | 1.230 x 1.120 | 1.230 x 1.120 | 1.230 x 1.120 |
| | 269.900,00€ | 290.900,00 € | 270.900,00€ | 291.900,00€ |

PALACE LINER 90 G

PALACE LINER 95 GB









| _ | IVECO Eurocargo 100 E 25 | Mercedes Benz Atego 924 | IVECO Eurocargo 120 E 28 | Mercedes Benz Ateg 1230 |
|---|--------------------------------------|--------------------------------------|---|---|
| Serial diesel engine (cylinders) | 6 | 6 | 6 | 6 |
| Cubic capacity (litres) | 6,7 | 7,7 | 6,7 | 7,7 |
| Max. power (KW/HP) | 185 / 251 | 175 / 238 | 205 / 279 | 220 / 299 |
| Max. torque (Nm) | 850 | 1.000 | 1.000 | 1.200 |
| Emission class | EURO 6 | EURO 6 | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 10.000 | 10.500 | 11.990 | 11.990 |
| $\textbf{Mass in running order} \ (kg)^1$ | 7.125 | 7.520 | 8.175 | 8.400 |
| Payload (kg) ¹ | 2.875 | 2.980 | 3.815 | 3.590 |
| Tow load with fixed / removable ball head (kg) | 3.500 / 3.500 | 3.500 / 3.020 | 3.500 / 2.910 | 3.500 / 2.910 |
| Permissible max. train weight with fixed / removable ball head (kg) | 13.500 / 13.500 | 14.000 / 13.520 | 15.490 / 14.900 | 15.490 / 14.900 |
| Total length (mm) | 9.490 | 9.490 | 9.850 | 9.850 |
| Total width/XL width (mm) | 2.500 | 2.500 | 2.500 | 2.500 |
| Total height (mm) | 3.610 | 3.610 | 3.720 | 3.720 |
| Wheel base (mm) | 4.815 | 4.820 | 5.000 | 5.060 |
| Lounge bench, left (mm) | 1.440 x 1.000 | 1.440 x 1.000 | 1.740 x 1.000 | 1.740 × 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2.000 x 1.630 | 2.000 x 1.630 | 2.000 x 1.630 | 2.000 x 1.630 |
| Folding bed (option) (mm) | 2.100 x 1.300 | 2.100 x 1.300 | 2.100 x 1.300 | 2.100 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.570 × 2.100 incl. electrical hatch | 1.570 x 2.100 incl. electrical hatch | 1.570 x 2.100 incl. electrical hatch | 1.570 × 2.100 incl. electrical hatcl |
| | 288.900,00€ | 309.900,00 € | 307.900,00 € | 325.900,00€ |

Prices in Euro (incl. 20 % VAT)

1) see back

PALACE LINER 99 GSB PALACE LINER 103 GSB









| _ | IVECO Eurocargo 120 E 28 | Mercedes Benz Atego 1230 | IVECO Eurocargo 120 E 28 | Mercedes Benz Atego 1230 |
|---|--------------------------------------|--------------------------------------|---|---|
| Serial diesel engine (cylinders) | 6 | 6 | 6 | 6 |
| Cubic capacity (litres) | 6,7 | 7,7 | 6,7 | 7,7 |
| Max. power (KW/HP) | 205 / 279 | 220 / 299 | 205 / 279 | 220 / 299 |
| Max. torque (Nm) | 1.000 | 1.200 | 1.000 | 1.200 |
| Emission class | EURO 6 | EURO 6 | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 11.990 | 11.990 | 11.990 | 11.990 |
| Mass in running order (kg) ¹ | 8.555 | 8.780 | 9.065 | 9.190 |
| Payload (kg) ¹ | 3.435 | 3.210 | 2.925 | 2.800 |
| Tow load with fixed / removable ball head (kg) | 3.500 / 2.910 | 3.500 / 2.910 | 3.500 / 2.910 | 3.500 / 2.910 |
| Permissible max. train weight with fixed / removable ball head (kg) | 15.490 / 14.900 | 15.490 / 14.900 | 15.490 / 14.900 | 15.490 / 14.900 |
| Total length (mm) | 10.220 | 10.220 | 10.760 | 10.760 |
| Total width/XL width (mm) | 2.500 | 2.500 | 2.500 | 2.500 |
| Total height (mm) | 3.720 | 3.720 | 3.720 | 3.720 |
| Wheel base (mm) | 5.175 | 5.060 | 5.670 | 5.660 |
| Lounge bench, left (mm) | 1.740 x 1.000 | 1.740 x 1.000 | 1.740 x 1.000 | 1.740 x 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2.000 x 1.630 | 2.000 x 1.630 | 2.000 x 1.630 | 2.000 x 1.630 |
| Folding bed (option) (mm) | 2.100 x 1.300 | 2.100 x 1.300 | 2.100 x 1.300 | 2.100 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.570 × 2.100 incl. electrical hatch | 1.570 × 2.100 incl. electrical hatch | 1.570 x 2.100 incl. electrical hatch | 1.570 x 2.100 incl. electrical hatch |
| | 310.900,00 € | 328.900,00€ | 318.900,00 € | 336.900,00€ |

PALACE LINER 108 GSB PALACE LINER 110 GSB









| _ | IVECO Eurocargo 120 E 28 | Mercedes Benz Atego 1230 | IVECO Eurocargo 120 E 28 | Mercedes Benz Ateg 1230 |
|---|--------------------------------------|--------------------------------------|---|-------------------------------------|
| Serial diesel engine (cylinders) | 6 | 6 | 6 | 6 |
| Cubic capacity (litres) | 6,7 | 7,7 | 6,7 | 7,7 |
| Max. power (KW/HP) | 205 / 279 | 220 / 299 | 205 / 279 | 220 / 299 |
| Max. torque (Nm) | 1.000 | 1.200 | 1.000 | 1.200 |
| Emission class | EURO 6 | EURO 6 | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 11.990 | 11.990 | 11.990 | 11.990 |
| Mass in running order (kg) ¹ | 9.345 | 9.570 | 9.500 | 9.720 |
| Payload (kg) ¹ | 2.645 | 2.420 | 2.490 | 2.270 |
| Tow load with fixed / removable ball head (kg) | 3.500 / 2.910 | 3.500 / 2.910 | 3.500 / 2.910 | 3.500 / 2.910 |
| Permissible max. train weight with fixed / removable ball head (kg) | 15.490 / 14.900 | 15.490 / 14.900 | 15.490 / 14.900 | 15.490 / 14.900 |
| Total length (mm) | 11.050 | 11.050 | 11.290 | 11.290 |
| Total width/XL width (mm) | 2.500 | 2.500 | 2.500 | 2.500 |
| Total height (mm) | 3.720 | 3.720 | 3.720 | 3.720 |
| Wheel base (mm) | 5.670 | 5.660 | 5.800 | 5.960 |
| Lounge bench, left (mm) | 1.740 x 1.000 | 1.740 x 1.000 | 1.740 x 1.000 | 1.740 x 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2.000 x 1.630 | 2.000 x 1.630 | 2.000 x 1.630 | 2.000 x 1.630 |
| Folding bed (option) (mm) | 2.100 x 1.300 | 2.100 x 1.300 | 2.100 x 1.300 | 2.100 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.570 × 2.100 incl. electrical hatch | 1.570 x 2.100 incl. electrical hatch | 1.570 x 2.100 incl. electrical hatch | 1.570 × 2.100 incl. electrical hato |
| | 321.900,00 € | 339.900,00 € | 325.900,00€ | 343.900,00€ |

Prices in Euro (incl. 20 % VAT)

1) see back





ENGINE . CHASSIS . SAFETY

| | BASE VEHICLE PALACE | | O Daily 49 t |
|-------------|--|-----------------------|------------------------|
| Ш Z | Turbo diesel engine, 3 litres, 132 kW / 180 HP, with rear wheel drive | | • |
| Ü | Fuel tank, in litres | | 90 |
| Z Ш | Emission class EURO 6 | AdBlue | |
| | Manual transmission | | |
| | Alternator | 14 V / 210 | A / 2.940 W |
| | All-year tires (Continental Vanco Four Season) | 225 / | 75 R 16 |
| | Dual-circuit compressed air brake and engine brake | | × |
| <u> </u> | Disc brakes, on front and rear axle | | |
| S | Electronic anti-lock braking system (ABS) | | |
| ∢ I | Traction control system (ASR) | | • |
| Ü | Electronical Stability Program (ESP) | | • |
| | Breakdown set, with warning triangle, first-aid kit, warning light, wheel chock and tire filling set | | - |
| | Airsuspension on front and rear axle for model 90 G | | • |
| <u>></u> | Lane Departure Warning | | × |
| Ш | Emergency Brake Assist | | × |
| S | Adaptive Cruise Control | | × |
| | Front underride protection with towing device | | |
| | BASE VEHICLES PALACE LINER | IVECO Eurocargo | Mercedes Benz Atego |
| | Turbo diesel engine, with rear wheel drive | • | • |
| Ш Z | Differential lock for rear axle | • | • |
| Ü | Fuel tank, in litres | 190 | 180 |
| Z Ш | Emission class EURO 6 | AdBlue | AdBlue |
| | Automatized transmission | 6-speed | 6- / 8-speed from 12 t |
| | Alternator | 28V / 120 A / 3.360 W | 28 V / 150 A / 4.200 W |
| | Additional 12 V alternator | 14V / 80 A / 1.120 W | × |
| | Tires 10 t - 10.5 t chassis, rear axle with traction profile | 245 / 70 R 17.5 | 245 / 70 R 17.5 |
| | Tires 12 t - 15 t chassis, rear axle with traction profile | 285 / 70 R 19.5 | 285 / 70 R 19.5 |
| | Dual-circuit compressed air brake and engine brake | • | • |
| <u>ග</u> | Disc brakes, on front and rear axle | • | • |
| S | Electronic anti-lock braking system (ABS) | • | • |
| ∢ I | Traction control system (ASR) | | • |
| Ö | Electronical Stability Program (ESP) | • | • |
| | Air suspension on rear axle only "Lifting and Lowering" | × | 924 |
| | Air suspension on front and rear axle "Lifting and Lowering" | 100 E 25 / 120 E 28 | 1230 / 1530 |
| | All suspension on front and real axte "Enting and Lowering | | |
| | Breakdown set, with warning triangle, first-aid kit, warning light, wheel chock and tire filling set | | |
| | | | • |
| | Breakdown set, with warning triangle, first-aid kit, warning light, wheel chock and tire filling set | • | |
| ,FETY | Breakdown set, with warning triangle, first-aid kit, warning light, wheel chock and tire filling set Lane Departure Warning | | |
| | Breakdown set, with warning triangle, first-aid kit, warning light, wheel chock and tire filling set Lane Departure Warning Emergency Brake Assist | | • |

| ш. |
|----------|
| |
| \equiv |
| רו |
| 4 |
| _ |
| Ш |
| \vdash |
| Ŋ |

| | Roller plissee behind windscreen, electrically activated, privacy screen, darkening blind and sunblind function |
|---|---|
| | Panoramic windscreen with laminated glass, tinted, heatable |
| | Flush, double-glazed driver's cab side windows, mechanically activated |
| | Air conditioning in driver's cab |
| | Cruise control |
| | Steering wheel, adjustable in height and angle (height only with Daily) |
| | Outside mirrors and windscreen wiper system in bus-style with wide-angle and front mirror |
| | Radio in driver's cab, with CD and MP3 player |
| | High-performance 2-way loudspeakers in driver's cab side panelling |
| | $1 \times USB$ and $2 \times 230 V$ at the side and $1 \times 12 V$ at the dashboard |
| | Noise insulation in engine compartment |
| | Fully insulated driver's cab, new GRP module |
| | Premium cockpit with leather covering, cup holders, cooling compartment and ambient lighting |
| _ | Halogen main headlights, with optical lens and additional main beam |
| | Fog lights |
| | LED daytime running lights |
| | |
| | LED rear lights Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam |
| | |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking or electrical hatch for car garages |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking or electrical hatch for car garages Lightning protection, Faraday cage |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking or electrical hatch for car garages Lightning protection, Faraday cage Heated double floor, approximately 420 mm high (Mercedes Atego and IVECO Eurocargo ca. 480mm), side access via external flaps |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking or electrical hatch for car garages Lightning protection, Faraday cage Heated double floor, approximately 420 mm high (Mercedes Atego and IVECO Eurocargo ca. 480mm), side access via external flaps "Top Class" entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking or electrical hatch for car garages Lightning protection, Faraday cage Heated double floor, approximately 420 mm high (Mercedes Atego and IVECO Eurocargo ca. 480mm), side access via external flaps "Top Class" entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking Interior entrance step, heated and illuminated, with two incorporated pull-out drawers |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking or electrical hatch for car garages Lightning protection, Faraday cage Heated double floor, approximately 420 mm high (Mercedes Atego and IVECO Eurocargo ca. 480mm), side access via external flaps "Top Class" entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking Interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit, for chassis up to 10 t |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking or electrical hatch for car garages Lightning protection, Faraday cage Heated double floor, approximately 420 mm high (Mercedes Atego and IVECO Eurocargo ca. 480mm), side access via external flaps "Top Class" entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking Interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit, for chassis up to 10 t Exterior entrance step, 3-step, electrically extendable with safety circuit, for chassis as from 10,5 t |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking or electrical hatch for car garages Lightning protection, Faraday cage Heated double floor, approximately 420 mm high (Mercedes Atego and IVECO Eurocargo ca. 480mm), side access via external flaps "Top Class" entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking Interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit, for chassis up to 10 t Exterior entrance step, 3-step, electrically extendable with safety circuit, for chassis as from 10,5 t Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not for G models) |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-GRP sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking or electrical hatch for car garages Lightning protection, Faraday cage Heated double floor, approximately 420 mm high (Mercedes Atego and IVECO Eurocargo ca. 480mm), side access via external flaps "Top Class" entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking Interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit, for chassis up to 10 t Exterior entrance step, 3-step, electrically extendable with safety circuit, for chassis as from 10,5 t Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not for G models) Rear wall with fibreglass compound sandwich design, PU foam core |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking or electrical hatch for car garages Lightning protection, Faraday cage Heated double floor, approximately 420 mm high (Mercedes Atego and IVECO Eurocargo ca. 480mm), side access via external flaps 'Top Class' entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking Interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit, for chassis up to 10 t Exterior entrance step, 3-step, electrically extendable with safety circuit, for chassis as from 10,5 t Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not for G models) Rear wall with fibreglass compound sandwich design, PU foam core Plastic windows in living area, double-glazed and tinted, collapsible outwards or sliding, with pleated blackout blind and flyscreen |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking or electrical hatch for car garages Lightning protection, Faraday cage Heated double floor, approximately 420 mm high (Mercedes Atego and IVECO Eurocargo ca. 480mm), side access via external flaps 'Top Class' entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking Interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit, for chassis up to 10 t Exterior entrance step, 3-step, electrically extendable with safety circuit, for chassis as from 10,5 t Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not for G models) Rear wall with fibreglass compound sandwich design, PU foam core Plastic windows in living area, double-glazed and tinted, collapsible outwards or sliding, with pleated blackout blind and flyscreen Thermally separated storage flaps with, carpeted on the inside |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking or electrical hatch for car garages Lightning protection, Faraday cage Heated double floor, approximately 420 mm high (Mercedes Atego and IVECO Eurocargo ca. 480mm), side access via external flaps "Top Class" entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking Interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit, for chassis up to 10 t Exterior entrance step, 3-step, electrically extendable with safety circuit, for chassis as from 10,5 t Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not for G models) Rear wall with fibreglass compound sandwich design, PU foam core Plastic windows in living area, double-glazed and tinted, collapsible outwards or sliding, with pleated blackout blind and flyscreen Thermally separated storage flaps with, carpeted on the inside Entirely wood-free exterior structure |
| | Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking or electrical hatch for car garages Lightning protection, Faraday cage Heated double floor, approximately 420 mm high (Mercedes Atego and IVECO Eurocargo ca. 480mm), side access via external flaps 'Top Class' entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking Interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit, for chassis up to 10 t Exterior entrance step, 3-step, electrically extendable with safety circuit, for chassis as from 10,5 t Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not for G models) Rear wall with fibreglass compound sandwich design, PU foam core Plastic windows in living area, double-glazed and tinted, collapsible outwards or sliding, with pleated blackout blind and flyscreen Thermally separated storage flaps with, carpeted on the inside |

FOLDING BED . LIVING ROOM + BEDROOM . KITCHEN

| | Skylight, with flyscreen and pleated blackout blind | |
|-------------|--|-------------|
| BE | Comfort bed suspension with multi-zone mattress | _ |
| | Lying surface approximately 2.000 x 1.300 mm (approx. 2.100 x 1.300 mm for PALACE LINER and PALACE in XL width) | Z O E |
| | Dividing curtain | <u></u> |
| Ш | | |
| | Floor covering made from easy-care, high-grade vinyl | |
| | Flat living area floor, from the rear to the dashboard | |
| | Skylight, with flyscreen and pleated blackout blind in the bedroom | |
| \geq | Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area | |
| | Lighting canopies with LED spots incl. indirect lighting, dimmable | |
| EDROOM | Rear bed with comfortably suspended multi-zone mattress and adjustable head part | |
| Ш | Wardrobes with LED lighting | |
| + | Microfibre upholstery, including driver and passenger seats | |
| + WOOM | Multifunctional couch with ergonomic upholstery, no seat belts | |
| Ō | Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners | |
| | Extensible, sturdy table, with extensive sliding range, laminated | |
| LIVING | Double pull-out furniture at the entrance | |
| | Sockets in the living area and in the bedroom | |
| | Wall panelling with colour-coordinated carpet | |
| | Elegant pleated curtains | |
| | | |
| | 190-litres AES refrigerator, with separate freezer compartment, automatic and manual energy selection, gas oven with a grill | |
| | MORELOSAN kitchen worktop with seamlessly integrated wash/waste bowl and domestic drains | |
| | 3-flame stainless steel gas cooker, installed countersunk with automatic ignition and glass cover | |
| Z Ш | Single-lever mixer tap, chrome | |
| Ü | Drawers with soft closing and cutlery insert | |
| Z H O H E Z | Pull-out waste bin with two removable containers | |
| | Skylight, with flyscreen and pleated blackout blind | |
| | LED spots, in lighting canopy | |
| | Sockets 2 x 230 V | |
| | | |

A WELL-INTENTIONED ADVICE

DO NOT SAVE ON THE VEHICLE TECHNOLOGY!

Our many years of experience shows that when it comes to buying a new motorhome, many people tend to be frugal when it comes to technical equipment. The immense demand for retrofits, however, shows the disadvantages of this tactic: Even small bumps on the road are quickly becoming an ordeal with leaf springs and mountain roads



without a Telma retarder often turn into a barbecue party for the original brake system.

Many retrofits can be realized only with additional effort and higher costs compared to the original equipment. Enjoy the full comfort of your MORELO right from the start, with chassis technology from Fahrzeugbau Meier!

⊘ www.fahrzeugbau-meier.de



Washstand, with seamlessly integrated sink and domestic drain

Skylight, with flyscreen and pleated blackout blind

Extensible single-lever mixer tap, chrome

| Scap dispenser, cup holder and towel hook Lighted closet Separate shower, with wall rail, height-adjustable showerhead and drying rail Tollet window, with flyscreen and pleaed blackout blind for premium bathroom Separate toilet area with optional luxury bathroom Ceramic toilet bowl with 750 litres toilet tank Toilet paper holder and toilet brush Spacious wardrobe with LED lighting LED spots Sockets 2 x 230 V Gas bottle compartment, for 2 x 11 kg gas bottles side by side, with gas controller gas leak protection, gas filter and automatic switchover 120 litres gas tank for vehicles with side-out, only PALACE LINER 5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off Electrical heating element, 230 V, up to 3.000 W Engine heat exchanger, for using engine calories to heat up the living area Floor heating in living area, bathroom and driver's cabin Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater supply 230 V ocket in the garage 230 V CEE connection, with insulated floor including battery monitoring system with overloading and total discharge protection |
|--|
| Separate shower, with wall rail, height-adjustable showerhead and drying rail Teilet window, with flyscreen and pleaed blackout blind for premium bathroom Separate toilet area with optional tuxury bathroom Ceramic toilet bowl with 250 litres toilet tank Toilet paper holder and toilet brush Spacious wardrobe with LED lighting LED spots Sockets 2 x 230 V Gas bottle compartment, for 2 x 11 kg gas bottles side by side, with gas controller gas leak protection, gas filter and automatic switchover 120 litres gas tank for vehicles with slide-out, only PALACE LINER 5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off Electrical heating element, 230 V, up to 3.000 W Engine heat exchanger, for using engine calories to heat up the living area Floor heating in living area, bathroom and driver's cabin Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply |
| Toilet window, with flyscreen and pleaed blackout blind for premium bathroom Separate toilet area with optional luxury bathroom Ceramic toilet bowl with 250 litres toilet tank Toilet paper holder and toilet brush Spacious wardrobe with LED lighting LED spots Sockets 2x 230 V Gas bottle compartment, for 2 x 11 kg gas bottles side by side, with gas controller gas leak protection, gas filter and automatic switchover 120 litres gas tank for vehicles with slide-out, only PALACE LINER 5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off Electrical heating element, 230 V, up to 3.000 W Engine heat exchanger, for using engine calories to heat up the living area Floor heating in living area, bathroom and driver's cabin Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply |
| Separate toilet area with optional tuxury bathroom Ceramic toilet bowl with 250 litres toilet tank Toilet paper holder and toilet brush Spacious wardrobe with LED lighting LED spots Sockets 2 x 230 V Gas bottle compartment, for 2 x 11 kg gas bottles side by side, with gas controller gas leak protection, gas filter and automatic switchover 120 litres gas tank for vehicles with slide-out, only PALACE LINER 5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off Electrical heating element, 230 V, up to 3.000 W Engine heat exchanger, for using engine calories to heat up the living area Floor heating in living area, bathroom and driver's cabin Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply |
| Ceramic toilet bowl with 250 litres toilet tank Toilet paper holder and toilet brush Spacious wardrobe with LED lighting LED spots Sockets 2 x 230 V Gas bottle compartment, for 2 x 11 kg gas bottles side by side, with gas controller gas leak protection, gas filter and automatic switchover 120 litres gas tank for vehicles with slide-out, only PALACE LINER 5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off Electrical heating element, 230 V, up to 3.000 W Engine heat exchanger, for using engine catories to heat up the living area Floor heating in living area, bathroom and driver's cabin Heat regulating thermostal in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply |
| Toilet paper holder and toilet brush Spacious wardrobe with LED lighting LED spots Sockets 2 x 230 V Gas bottle compartment, for 2 x 11 kg gas bottles side by side, with gas controller gas leak protection, gas filter and automatic switchover 120 litres gas tank for vehicles with slide-out, only PALACE LINER 5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off Electrical heating element, 230 V, up to 3.000 W Engine heat exchanger, for using engine calories to heat up the living area Floor heating in living area, bathroom and driver's cabin Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply |
| Spacious wardrobe with LED lighting LED spots Sockets 2 x 230 V Gas bottle compartment, for 2 x 11 kg gas bottles side by side, with gas controller gas leak protection, gas filter and automatic switchover 120 litres gas tank for vehicles with slide-out, only PALACE LINER 5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off Electrical heating element, 230 V, up to 3.000 W Engine heat exchanger, for using engine calories to heat up the living area Floor heating in living area, bathroom and driver's cabin Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V CEE connection, with insulated floor inlet |
| LED spots Sockets 2 x 230 V Gas bottle compartment, for 2 x 11 kg gas bottles side by side, with gas controller gas leak protection, gas filter and automatic switchover 120 litres gas tank for vehicles with slide-out, only PALACE LINER 5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off Electrical heating element, 230 V, up to 3.000 W Engine heat exchanger, for using engine calories to heat up the living area Floor heating in living area, bathroom and driver's cabin Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V CEE connection, with insulated floor inlet |
| Gas bottle compartment, for 2 x 11 kg gas bottles side by side, with gas controller gas leak protection, gas filter and automatic switchover 120 litres gas tank for vehicles with slide-out, only PALACE LINER 5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off Electrical heating element, 230 V, up to 3.000 W Engine heat exchanger, for using engine calories to heat up the living area Floor heating in living area, bathroom and driver's cabin Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply |
| Gas bottle compartment, for 2 x 11 kg gas bottles side by side, with gas controller gas leak protection, gas filter and automatic switchover 120 litres gas tank for vehicles with slide-out, only PALACE LINER 5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off Electrical heating element, 230 V, up to 3.000 W Engine heat exchanger, for using engine calories to heat up the living area Floor heating in living area, bathroom and driver's cabin Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V CEE connection, with insulated floor inlet |
| 120 litres gas tank for vehicles with slide-out, only PALACE LINER 5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off Electrical heating element, 230 V, up to 3.000 W Engine heat exchanger, for using engine calories to heat up the living area Floor heating in living area, bathroom and driver's cabin Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V CEE connection, with insulated floor inlet |
| 120 litres gas tank for vehicles with slide-out, only PALACE LINER 5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off Electrical heating element, 230 V, up to 3.000 W Engine heat exchanger, for using engine calories to heat up the living area Floor heating in living area, bathroom and driver's cabin Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V CEE connection, with insulated floor inlet |
| 5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off Electrical heating element, 230 V, up to 3.000 W Engine heat exchanger, for using engine calories to heat up the living area Floor heating in living area, bathroom and driver's cabin Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage |
| Electrical heating element, 230 V, up to 3.000 W Engine heat exchanger, for using engine calories to heat up the living area Floor heating in living area, bathroom and driver's cabin Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage |
| Engine heat exchanger, for using engine calories to heat up the living area Floor heating in living area, bathroom and driver's cabin Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V Socket in the garage 230 V CEE connection, with insulated floor inlet |
| Floor heating in living area, bathroom and driver's cabin Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V Socket in the garage 230 V CEE connection, with insulated floor inlet |
| Heat regulating thermostat in bedroom and rear garage Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V CEE connection, with insulated floor inlet |
| Towel dryer radiator in bathroom, with thermostat control Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V CEE connection, with insulated floor inlet |
| Integrated hot water boiler, serving all tapping points 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V CEE connection, with insulated floor inlet |
| 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V CEE connection, with insulated floor inlet |
| Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V CEE connection, with insulated floor inlet |
| Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V CEE connection, with insulated floor inlet |
| Flushing connections for wastewater tank and toilet tank Central pressure water supply 230 V socket in the garage 230 V CEE connection, with insulated floor inlet |
| Central pressure water supply 230 V socket in the garage 230 V CEE connection, with insulated floor inlet |
| 230 V socket in the garage 230 V CEE connection, with insulated floor inlet |
| 230 V CEE connection, with insulated floor inlet |
| 230 V CEE connection, with insulated floor inlet |
| |
| 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection |
| |
| Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A |
| |
| Central control and monitoring panel, with colour touch screen |
| |
| Shut-off function for on-board electrical system, in case of undervoltage/overheating |
| Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology |
| |
| On-board electronics, microprocessor-controlled with bus technology |
| On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers |
| On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others |
| On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel, for monitoring external and internal temperature, external current supply, parallel battery circuit, |
| On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel, for monitoring external and internal temperature, external current supply, parallel battery circuit, battery voltage of vehicle and leisure battery |

SPECIAL EQUIPMENT MORELO PALACE . PALACE LINER

CHASSIS

Item / Weight¹

| | CHASSIS PALACE - IVECO DAILY | IVECO Daily |
|----------------|--|-------------|
| 011230 / 15 | C21 enginge, 151 kw /205 HP (only combine with 011203 ZF torque converter transmission | 2.600,00 € |
| 011203 / 10 | ZF 8-gear torque converter transmission | 4.990,00 € |
| 017000D / 15 | Differential lock for rear axle | 990,00 € |
| 018175 / 26 | Daily "wide axle" front axle (spur widening on front axle +200 mm) | 7.290,00 \$ |
| 011218 / 128 | Original IVECO retarder (serial tank only 70 litres) | 7.990,00 € |
| 018152 / 120 | 200 litres fuel tank (instead of serial standard) ³ | 2.290,00 € |
| 018214D / 0 | Air suspension on rear axle only | 5.800,00 € |
| 018212D / 63 | Air suspension, front and rear axle, automatic leveling and various special functions (only combined with light metal rims) | 9.990,00 \$ |
| 018225 / 05 | Active-Air Chassis (only in combination with air suspension on front and rear axle) | 4.990,00 \$ |
| 018160 / 0 | Light metal rims "Radial" on front axle with spur widening, steel rims with wheel trims on rear axle | 2.790,00 \$ |
| 018162 / 0 | Light metal rims "Radial" front and rear axle, on front axle with spur widening (spare wheel with steel rim), steel valves | 3.990,00 \$ |
| 018178 / 0 | Light metal rims "BiColor" on front axle with spur widening, steel rims with wheel trims on rear axle | 2.790,00 |
| 018161D / 0 | Light metal rims "BiColor" front and rear axle, on front axle with spur widening (spare wheel with steel rim), steel valves | 3.990,00 + |
| 018178-01 / 0 | Light metal rims "Silver" on front axle with spur widening, steel rims with wheel trims on rear axle | 2.790,00 |
| 018161-01D / 0 | Light metal rims " Silver" front and rear axle, on front axle with spur widening (spare wheel with steel rim), steel valves | 3.990,00 |
| 018170D / 08 | Spur widening on front axle, only for steel rims | 490,00 € |
| 018181 / 20 | Spur widening on rear axle, only for steel rims | 790,00 € |
| 018131D / 08 | Electrical and technical preparation for trailer coupling | 790,00 € |
| 018099D / 43 | Fixed trailer coupling up to max. 3.500 kg incl. electrical and technical preparation for trailer coupling | 2.290,00 € |
| 018120D / 03 | Surcharge for removable trailer coupling head (only in combination with trailer coupling) | 500,00 (|
| 017006 / 0 | LED headlights 12 V (only combined with rear axle air suspension) | 2.190,00 € |
| 018234D / 90 | Hydraulic leveling jacks with automatic leveling ² | 8.490,00 |
| 017100 / 100 | XL-width 2.500 mm | 5.000,00 |
| 017305 / 04 | Morelo exclusive leather steering wheel, removable to improve seat rotation and deter theft | 1.550,00 |
| 052038 / 04 | Heating for standard cab seats | 580,00 |
| 052130 / 35 | Luxury driver's cab seats, air suspended with lumbar support, armrests and heating | 3.990,00 \$ |
| 024951 / 05 | Flush, double-glazed driver's cab side windows, electrically activated | 1.250,00 + |
| 021039 / 06 | Double horn air fanfare (only in combination with luxury driver's cab seats) | 890,00 \$ |
| 018321 / 55 | Spare steel wheel with holder underneath lowered rear | 490,00 \$ |

Prices in Euro (incl. 20 % VAT)

1) Weight in kg 2) only combined with Electrical Package 3) by using the original tank sensor a filling level above 150 litres is indicated as "full"!

Item / Weight¹

| _ | rterii / TTCIgitt | | |
|---|-------------------|--|--|
| | | CHASSIS PALACE LINER IVECO EUROCARGO 100 E 25 / 120 E 28 / 150 E 32 | IVECO Eurocargo 10 t / 12 t / 15 t |
| | 010005 / 0 | | |
| | 013305 / 0 | Light metal rims for Eurocargo 120 E 28 / 150 E 32, front and rear axle, 19,5"3 | 4.290,00 € |
| | 013310 / 0 | Polished light metal rims for Eurocargo 100 E 25, front and rear axle, 17,5" ³ | 4.690,00 € |
| | 018131 / 12 | Electrical and technical preparation for trailer coupling | 990,00 € |
| | 018099 / 47 | Fixed trailer coupling up to max. 3.500 kg incl. electrical and technical preparation for trailer coupling | 2.290,00 € |
| | 018120 / 03 | Surcharge for removable trailer coupling head (only in combination with trailer coupling) | 500,00€ |
| | 017007 / 0 | LED headlights 24 V | 2.190,00 € |
| | 018235E / 120 | Hydraulic leveling jacks with automatic leveling ² | 8.490,00 € |
| | 018230 / -17 | Air pressure tank in aluminium instead of steel | 450,00€ |
| | 017304 / 04 | MORELO Exclusive leather steering wheel, removable to improve seat rotation and deter theft | 1.550,00 € |
| | 025032 / 05 | Flush, double-glazed driver's cab side windows, electrically activated | 1.250,00€ |
| | 021040 / 06 | Double horn air fanfare | 890,00€ |
| | 052130 / 35 | Luxury seats in driver's cabin, air suspended with lumbar support and armrests, heated | 3.990,00€ |
| | 017105 / 130 | Supplement for 1530 chassis instead of 1230 (mass in running order + 100 kg, payload + 2.910 kg) | 15.000,00€ |
| | | | |
| | | CHASSIS PALACE LINER | Mercedes Benz |
| | | MERCEDES BENZ ATEGO 924 / 1230 / 1530 | Atego 10,5 t / 12 t / 15 t |
| | 018148 / 80 | 280 litres fuel tank instead of 180 litres serial standard (if sufficient space) | 500,00€ |
| | 017212 / 0 | Light metal rims ALCOA Dura Bright on front and rear axle 17,5" (MB Atego 923 / 924) ³ | 4.190,00€ |
| | 018169 / 0 | Light metal rims ALCOA Dura Bright on front and rear axle 19,5" (MB Atego 1230) ³ | 5.500,00€ |
| | 018131E / 12 | Electrical and technical preparation for trailer coupling | 990,00€ |
| | 018099E / 47 | Fixed trailer coupling up to max. 3.500 kg incl. electrical and technical preparation for trailer coupling | 2.290,00€ |
| | 018120E / 03 | Surcharge for removable trailer coupling head (only in combination with trailer coupling) | 500,00€ |
| | 017007 / 0 | LED headlights 24 V | 2.190,00 € |
| | 018239 / 120 | Hydraulic leveling jacks with automatic leveling ² | 8.490,00 € |
| | 025037 / 05 | Flush, double-glazed driver's cab side windows, electrically activated | 1.250,00 € |
| | 021040 / 06 | Double horn air fanfare | 890,00€ |
| | 052130 / 35 | Luxury seats in driver's cabin, air suspended with lumbar support and armrests, heated | 3.990,00 € |
| | 017106 / 130 | Supplement for 1530 chassis instead of 1230 (mass in running order + 100 kg, payload + 2.910 kg) | 13.000,00 € |
| - | | | |
| | | | |
| | | | |
| | | | |

A SAFE FOOTING

COMFORT AND SAFETY ARE INCLUDED


Are you looking for relaxed driving with a solid feeling of additional safety? Then pair our 8-speed HI-MATIC automatic gearbox with our standard ESC without skipping the comfort of full air suspension. Or the electromagnetic Telma eddy-current retarder. This is the leading choice for safer braking, acting right on the drivetrain and making it possible to brake the vehicle to a standstill. The gentle, smooth braking

IVECO

provided by the Telma handles up to 90% of all braking operations, thereby preventing the main brake from overheating. Furthermore, wear-free braking protects the main brake, resulting in a significant reduction in operating costs.

Your Iveco motorhome experts

⊘ www.iveco.com



Prices in Euro (incl. 20 % VAT)

SPECIAL EQUIPMENT MORELO PALACE . PALACE LINER

SLIDE-OUT . STRUCTURE . KITCHEN . LIVING ROOM

| Item / Weight ¹ | | all models |
|----------------------------|---|------------|
| 030040 / 150 | Slide-out in NOVEL-style for PALACE LINER layouts with "B" (total length + 200 mm) | 30.000,00 |
| 030040 / 130 | Stide-out III NOVEL-Style for PALACE LINER layouts with B (total length + 200 min) | 30.000,00 |
| 000000 4 40 | | 0.000.00 |
| 022007 / 60 | Electrically operated roof awning 6,0 m, with dimmable LED lighting ² , incl. remote control | 2.990,00 |
| 022041 / 03 | LED lighting underneath of roof profile on driver's side, dimmable with remote control | 690,00 |
| 025180 / 100 | Insulated projecting glass windows instead of Plexiglas windows | 4.990,00 |
| 025091 / 07 | Midi roof window, in bedroom (instead of standard mini heki) | 690,00 |
| 025092 / 13 | Panoramic roof window, Heki 3, in bedroom (instead of standard mini heki) | 1.290,00 |
| 025106 / 26 | Double panoramic roof window, 2 x Heki 3 in living area (not in combination with folding bed) | 1.590,00 |
| 037500 / 07 | Furniture safe with electronic locking and automatic locking system | 320,00 |
| 020291 / 02 | Carbon look exterior | 1.490,00 |
| 031945 / 05 | Double floor lighting (serial standard for PALACE LINER) | 690,00 |
| | | |
| 043105 / 15 | Kitchen worktop in mineral material, matt-finish, flush sink covers, in various designs | 1.490,00 |
| 043054 / 19 | Microwave oven in stainless steel, with grill function underneath of worktop (230 V via mains connection, not in combination with dishwasher) | 1.290,00 |
| 043081 / 32 | Dishwasher underneath worktop behind furniture flap (230 V via mains connection) | 1.190,00 |
| 043275 / 05 | Additional pull-out drawers in kitchen block instead of hinged door (not in combination with microwave and dishwasher) | 390,00 |
| 043260 / 05 | Nespresso coffee machine, with shelf and 230 V socket ² | 490,00 |
| 025161 / 05 | Extractor fan in the kitchen area instead of standard mini heki | 450,00 |
| | | |
| 050600 / 05 | Wall and ceiling covering in smooth finish, with artificial leather | 1.500,00 |
| 036600 / 0 | Change of pattern for furniture fronts (price per unit, position and number can be freely chosen) | 90,00 |
| 035302 / 97 | Bar seating group (passenger's side), with adjustable single seat and multifunctional bench (incl. homologation for 5 persons) | 2.290,00 |
| 035250 / 30 | Single-seated sofa instead of standard L-shaped seating group | 790,00 |
| 035984 / 45 | Seatbelts for 2 persons at multifunctional seating bench | 890,00 |
| 035985 / 50 | Seatbelt for 1 person at multifunctional seating bench (only for slide out models) | 3.500,00 |
| 035986 / 50 | Seatbelts for 2 persons at multifunctional seating bench (only for slide out models) | 3.500,00 |
| 042204 / 07 | Height-adjustable table column, with extra cushion insert (only for lounge seating group) | 790,00 |
| 044102 / 05 | Central vacuum cleaner, with convenient emptying | 990,00 |
| 042914 / 35 | NOVEL kitchen / seating group: | 5.290,00 |
| | L Kitchen worktop in mineral material, double sink with generous worktop, pull-out drawers in the kitchen block, ambiance lighting in overhead canopies, Nespresso coffee machine and 230 V socket ² (Serial standard for all slide-out layouts) | |

BEDROOM . BATHROOM . ELECTRONICS

| | Item / Weight ¹ | | all models |
|-------------|----------------------------|--|---------------|
| _ | 051908 / 47 | Electrical drop-down bed (instead of overhead lockers) | 2.490,00 € |
| \sim | 036242 / 05 | Rear bed with EvoPore multi-zone mattress and watergel topper | 490,00€ |
| ЭВО | 036146 / 07 | Rear bed with EvoPre multi-zone mattress lying surface over the entire width, for L-layouts | 1.490,00€ |
| BEDROOM | 036147 / 13 | Rear bed with EvoPore multi-zone mattress lying surface over the entire width, for M-layouts, overhead lockers like in L-version | 2.490,00€ |
| | 050644 / 05 | Separated L-beds with nightstand and cushion insert | 2.390,00€ |
| | | | |
| Σ | 036130 / 0 | Ceramic toilet bowl for cassette toilet, including SOG toilet ventilation (instead of standard fixed-tank toilet) | no supplement |
| BATHROOM | 035990 / 05 | Greywater pump for transfer of wastewater into the toilet tank | 890,00€ |
| T T | 036071 / 30 | Luxury bathroom with separate toilet area, window and mini heki | 2.990,00€ |
| ΑT | 025064 / 05 | Additional window in luxury bathroom compartment | 890,00€ |
| m | 036068 / 0 | Towel radiator in chrome finish instead of white | 790,00€ |
| | 036033 / 03 | Extensible shower next to toilet | 300,00€ |
| | 031050 / 02 | Alarm system | 1.290,00 € |
| | 031050 / 02 | Alarm system | 1.290,00 € |
| | 025043 / 40 | Roof air conditioning, for living area with infrared remote control (total vehicle height + 130 mm) | 3.190,00 € |
| | 025044 / 40 | Roof air conditioning, for bedroom with infrared remote control (not in combination with panoramic roof window - total vehicle height + 130 mm) | 3.190,00 € |
| | 037186 / 12 | Solar panel, with 130 W maximum power | 1.490,00 € |
| O) | 037187 / 23 | Solar panels, with 2 x 130 W maximum power | 2.190,00 € |
| | 037189 / 44 | Solar panels, with 4 x 130 W maximum power (if sufficient space on the roof) | 3.990,00 € |
| ELECTRONICS | 031345 / 110 | Electrical Package "Energy 420 Premium Power" (instead of serial standard) Gel batteries 2 x 210 Ah (discharging level 50 % = 210 Ah), combined charger/inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel, 230 V socket in rear garage | 5.290,00 € |
| Ш | 031363 / 0 | Electrical Package "Energy Lithium Power" (instead of serial standard) Lithium batteries 1 x 160Ah (discharging level 100% = 160Ah), combined charger/inverter 120 A/3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel, 230 V socket in rear garage | 7.290,00 € |
| | 031448 / 28 | Additional Lithium battery 160 Ah (only combined with electrical package "Lithium Power", max. 4 batteries in total) | 2.990,00€ |
| | 031450 / 05 | Sine wave inverter 300 W (with separate socket and on/off switch for continuous use of small appliances, f.e. a respirator) | 450,00€ |
| | | | |





Prices in Euro (incl. 20 % VAT)

1) Weight in kg

SPECIAL EQUIPMENT MORELO PALACE . PALACE LINER

MULTIMEDIA . GAS + HEATING + WATER . UPHOLSTERY + DECORATION

| | Item / Weight ¹ | | all models |
|-----------|----------------------------|--|------------|
| | 037004 / 08 | Navigation system with 9" touch screen panel and DAB/DAB+ tuner, four additional loudspeakers, incl. twin reversing camera with shutter and hands-free set for telephone with Bluetooth | 3.790,00 € |
| | 037102 / 04 | Twin reversing camera with shutter | 1.290,00 € |
| | 037443 / 46 | Satellite TV system, with 24" flat screen underneath cabinet in entrance area (left-hand side), 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB and 24" flat screen TV in bedroom (total vehicle height + 80 mm) | 5.490,00 € |
| MEDIA | 037439 / 56 | Satellite TV system, with 32" flat screen in wall-mounted overhead locker (right-hand side), with assorted glassware, electrically lowerable, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB, 24" flat screen TV in bedroom (total vehicle height + 80 mm) | 6.290,00 € |
| MULTIME | 037435 / 56 | Satellite TV system, with 32" flat screen in wall-mounted overhead locker (driver's side for bar seating group), with assorted glassware, electrically lowerable, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB, 24" flat screen TV in bedroom (total vehicle height + 80 mm) | 7.280,00 € |
| | 037447 / 54 | Satellite TV system, with 32" flat screen mounted overhead above dashboard, electrically lowerable, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB, 24" flat screen TV in bedroom, ceiling high double drawer cabinet in the entrance area to the left - not in combination with fold-down bed (total vehicle height + 80 mm) | 6.290,00 € |
| | 037061 / 05 | Sound package for satellite TV system consisting of four loudspeakers and one subwoofer in the living room | 990,00€ |
| | | | |
| ш — | 034202 / 03 | External shower on the driver's side in front of the rear axle | 300,00 € |
| | 018600 / 15 | Diesel auxiliary heating, with convenient continuous heating via heat exchanger (5.200 W), including timer | 2.950,00 € |
| WATE | 033026 / 03 | Outside gas point, on side wall at passenger's side | 290,00 € |
| + | 033004 / 88 | 70 litres gas tank, with remote filling in the side wall and level indicator in control panel display | 2.380,00 € |
| () 7 | 033005 / 102 | 120 litres gas tank, with remote filling in the side wall and level indicator in control panel display | 2.790,00 € |
| ZHA | 033004 / 124 | 150 litres gas tank, with remote filling in the side wall and level indicator in control panel display (if enough space underneath chassis) (only PALACE LINER) | 2.950,00 € |
| | 023103 / 77 | 2.600 W petrol generator with 10l petrol tank, fixed installation | 4.990,00 € |
| + S A S | 023105 / 100 | 4.000 W diesel generator, Whisper Power, fixed installation (only for EC 120 E 28 / 150 E 32 and MB ATEGO 1230 / 1530) | 9.800,00 € |
| | 034206 / 20 | 450 litres fresh water tank / 300 litres wastewater tank / 300 litres toilet tank, instead of serial tanks (only for PALACE LINER) | 1.490,00 € |
| | | | |
| Z 0 | 050100 / 0 | Microfibre upholstery, in variety of patterns | • |
| T T | 050505 / 0 | BiColour microfibre upholstery, in variety of patterns | 500,00€ |
| \square | 050524 / 20 | Fabric-Leather "Trendline" upholstery combination, in variety of patterns | 3.390,00 € |
| | 050500 / 27 | Leather upholstery, in variety of patterns | 3.990,00 € |
| Ш | 050506 / 27 | BiColor leather upholstery, in variety of patterns | 4.290,00 € |
| + | 051305 / 20 | Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko | 990,00€ |
| ш > | 051311 / 20 | Living area carpet in special velours colour | 1.140,00 € |
| ∃ H | 051276 / 05 | Decoration package "Trendline", consisting of 8 cushions and Trendline decorative curtains instead of the serial standard ones, in variety of patterns | 650,00€ |
| Ō | 051271 / 0 | Venetian blinds in the living room, pleated blinds in the bedroom | 590,00€ |
| Γ | 051272 / 0 | Venetian blinds in the living room and in the bedroom | 1.090,00€ |
| | 090000 / 0 | Vehicle delivery at the factory, with extensive briefing in German language, handover inspection, diesel tank filling and factory tour | 1.590,00 € |



LIVING ROOM

The standard lounge is equipped with ergonomic seat cushions, a pull-out table and overhead locker with glasses.

Numerous other layouts offer a wide array of customisation options.

We are certain that you will find the MORELO layout that is perfect for you.



"Lounge" living room

The seating quality is right on par with the showcase quality for these comfortable, ergonomically shaped cushions. The enormous windows allow plenty of light into the living room.



"Bar" living room (optional)

The "Bar" living room variant offers space for friends and family and increases the number of seats with safety belts from four to five.



"Novel" living room (optional)

The extra large lounge seating group has been opened towards the room with the kitchen connected to it directly. This creates an elegant line throughout the entire vehicle.

BATHROOMS

Different customer requests require different bathroom variants.

This is why MORELO offers various bathrooms depending on the vehicle, from compact to spacious and even with the option of a separate toilet room.



Premium bathroom

The premium bathroom offers plenty of room to move and numerous stowage options. The two-piece sliding door to the bedroom is mirrored.



Luxury bathroom (optional)

The separate toilet room offers a plus for privacy and enables flexible use of the bathroom by several people.



BEDROOM

Four bed variants are available for the bedroom equipment.

Cold foam mattresses with spot-elastic sprung base offer optimal head support and provide an optimal sleeping environment thanks to the integrated air channels.



Queen bed (M)

The queen bed is accessible from both sides and provides enough room for two additional wardrobes.

Convenient size: 160 x 200 cm



L-beds, separated

The L-beds are also available as separated beds with a nightstand at the head end and a separate cushion insert.

Efficient size: Twice 82.5 x 200 cm



Front-to-back bed (L)

The front-to-back bed maximises your available space and is available as a double bed or two separate beds.

Premium size: Twice 106 x 200 cm

KITCHEN COUNTERTOPS

The Morelosan kitchen countertop with seamlessly integrated sink and drying basin is functional and very easy to clean thanks to the smooth form free of joints or edges. High-quality solid surface countertops are available as special equipment.



Morelosan Salt



Morelosan Zimt



Solid surface Muskat

Solid surface Creme



Solid surface Pepper

INTERIOR SURFACES

Light or dark? Respectively » Life « or » Trend «? You have the choice between two furniture wood colors. Combine the noble high-gloss furniture flaps with warm rosewood or - now brand new - with modern aralia.





Furniture wood colour Trend



Furniture wood colour Life



Wall lining Synthetic leather

Wall covering Standard

VELOURS OR SISAL LIVING ROOM FLOORS AND FLOOR COVERINGS

The surface of the optional floor coverings are easy to clean while remaining exceedingly durable and long-lasting. The optional carpet variants in sisal and velours quality give a pleasant atmosphere to the living space





Living room floor Cappuccino

Living room floor Chocolate







Carpet Velours Chocolate



Carpet Velours Beige



Carpet Sisal Sierra

TABLE IN THE LIVING ROOM

The living room table is available in five different finishes.

Lacquered real-wood frames and durable, scratch-resistant

laminated surfaces offer maximum quality.



Tabletop Sand



Tabletop Lava

Tabletop Stone



Tabletop Quarz, table edge Trend

Tabletop Granit, table edge Life

SELECTED DRAPERY MATERIALS

Your MORELO is customised as you wish. Of course, this also includes picking your favourites from among the material patterns.



Individuality is emphasised in a MORELO.



Pattern 200

Pattern 230

Pattern 330

Pattern 340

Pattern 700



YOU HAVE THE CHOICE

The EMPIRE makes it easy for you to bring your idea of the perfect motorhome to life with its three variable basic layouts and virtually limitless ways to combine equipment variants.



WITH FRONT-TO-BACK BEDS (L LAYOUTS)

Front-to-back beds in the rear allow convenient access from the foot of the bed, separately for each bed.

The top parts can be adjusted independently.



WITH FRONT-TO-BACK BEDS AND WARDROBES IN THE BEDROOM (LS LAYOUTS)

Just as much sleeping comfort as the L layouts with some extra stowage space. In these layouts, the bedroom has room for two spacious closets in front of the beds.



WITH QUEEN-SIZE BED (M AND G LAYOUTS)

The layout with a free-standing queen-size bed and wardrobes to the left and right next to the bed offers convenient access from all sides as well as additional stowage space.

EMPIRE 88 L

EMPIRE 90 L







جان

incl. scooter garage

incl. scooter garage

| | IVECO Daily 70 C 21 (7.490 kg) | IVECO Daily 70 C 21 (7.490 kg) |
|---|--|-----------------------------------|
| Serial diesel engine (cylinders) | 4 | 4 |
| Cubic capacity (litres) | 3 | 3 |
| Max. power (KW/HP) | 151 / 205 | 151 / 205 |
| Max. torque (Nm) | 470 | 470 |
| Emission class | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 7.4902 | 7.490 ² |
| Mass in running order (kg) ¹ | 6.200 | 6.300 |
| Payload (kg) ¹ | 1.290 | 1.190 |
| Tow load with removable ball head (kg) | 3.500 | 3.500 |
| Permissible max. train weight with removable ball head (kg) | 10.700 | 10.700 |
| Total length (mm) | 9.030 | 9.230 |
| Total width/XL width (mm) | 2.500 | 2.500 |
| Total height (mm) | 3.470 | 3.470 |
| Wheel base (mm) | 4.750 | 4.900 |
| Lounge bench, left (mm) | 1.500 x 1.000 | 1.500 x 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2 x 2.000 x 1.060 | 2 x 2.000 x 1.060 |
| Folding bed (option) (mm) | 2.080 x 1.300 | 2.080 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.240 x 1.140 | 1.240 x 1.140 |
| | | |

1) see back 2) upgrade possible

EMPIRE 92 LS

EMPIRE 92 M







الله

| | IVECO Daily 70 C 21 (7.490 kg) | IVECO Daily 70 C 21 (7.490 kg) |
|---|-----------------------------------|-----------------------------------|
| Serial diesel engine (cylinders) | 4 | 4 |
| Cubic capacity (litres) | 3 | 3 |
| Max. power (KW/HP) | 151 / 205 | 151 / 205 |
| Max. torque (Nm) | 470 | 470 |
| Emission class | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 7.4902 | 7.4902 |
| $\textbf{Mass in running order} \ (kg)^1$ | 6.380 | 6.380 |
| Payload (kg) ¹ | 1.110 | 1.110 |
| Tow load with removable ball head (kg) | 3.500 | 3.500 |
| Permissible max. train weight with removable ball head (kg) | 10.700 | 10.700 |
| Total length (mm) | 9.430 | 9.430 |
| Total width/XL width (mm) | 2.500 | 2.500 |
| Total height (mm) | 3.470 | 3.470 |
| Wheel base (mm) | 5.000 | 5.000 |
| Lounge bench, left (mm) | 1.500 x 1.000 | 1.500 x 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2 x 2.000 x 1.060 | 2.000 x 1.630 |
| Folding bed (option) (mm) | 2.080 x 1.300 | 2.080 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.240 x 1.140 | 1.240 x 1.140 |
| | | |

EMPIRE LINER 90 L

EMPIRE LINER 93 LB







incl. scooter garage



incl. scooter garage

| | Mercedes Benz Atego 1230 L | Mercedes Benz Atego 1230 L |
|---|-------------------------------|-------------------------------|
| Serial diesel engine (cylinders) | 6 | 6 |
| Cubic capacity (litres) | 7,7 | 7,7 |
| Max. power (KW/HP) | 220 / 299 | 220 / 299 |
| Max. torque (Nm) | 1.200 | 1.200 |
| Emission class | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 11.990 | 11.990 |
| Mass in running order $(kg)^1$ | 8.700 | 8.760 |
| Payload (kg) ¹ | 3.280 | 3.230 |
| Tow load with removable ball head (kg) | 2.910 | 2.910 |
| Permissible max. train weight with removable ball head (kg) | 14.900 | 14.900 |
| Total length (mm) | 9.240 | 9.540 |
| Total width/XL width (mm) | 2.500 | 2.500 |
| Total height (mm) | 3.760 | 3.760 |
| Wheel base (mm) | 4.760 | 4.760 |
| Lounge bench, left (mm) | 1.500 x 1.000 | 1.800 x 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2 x 2.000 x 1.060 | 2 x 2.000 x 1.060 |
| Folding bed (option) (mm) | 2.080 x 1.300 | 2.080 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.240 x 1.140 | 1.240 x 1.140 |
| | | 1 |

EMPIRE LINER 93 LO





EMPIRE LINER 94 LS





| | Mercedes Benz Atego 1230 L | Mercedes Benz Atego 1230 L |
|---|-------------------------------|-------------------------------|
| Serial diesel engine (cylinders) | 6 | 6 |
| Cubic capacity (litres) | 7,7 | 7,7 |
| Max. power (KW/HP) | 220 / 299 | 220 / 299 |
| Max. torque (Nm) | 1.200 | 1.200 |
| Emission class | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 11.990 | 11.990 |
| Mass in running order (kg) ¹ | 9.000 | 8.780 |
| Payload (kg) ¹ | 3.080 | 3.210 |
| Tow load with removable ball head (kg) | 2.910 | 2.910 |
| Permissible max. train weight with removable ball head (kg) | 14.900 | 14.900 |
| | | |
| Total length (mm) | 9.540 | 9.640 |
| Total width/XL width (mm) | 2.500 | 2.500 |
| Total height (mm) | 3.760 | 3.760 |
| Wheel base (mm) | 4.760 | 4.760 |
| Lounge bench, left (mm) | 1.600 x 1.000 | 1.500 x 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2 x 2.000 x 1.060 | 2 x 2.000 x 1.060 |
| Folding bed (option) (mm) | 2.080 x 1.300 | 2.080 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.240 x 1.140 | 1.240 x 1.140 |
| | 410.900,00 € | |

EMPIRE LINER 95 M

EMPIRE LINER 98 MB







incl. scooter garage



incl. scooter garage

| | Mercedes Benz Atego 1230 L | Mercedes Benz Atego 1230 L |
|---|-------------------------------|-------------------------------|
| Serial diesel engine (cylinders) | 6 | 6 |
| Cubic capacity (litres) | 7,7 | 7,7 |
| Max. power (KW/HP) | 220 / 299 | 220 / 299 |
| Max. torque (Nm) | 1.200 | 1.200 |
| Emission class | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 11.990 | 11.990 |
| Mass in running order (kg) ¹ | 9.280 | 9.400 |
| Payload (kg) ¹ | 2.710 | 2.590 |
| Tow load with removable ball head (kg) | 2.910 | 2.910 |
| Permissible max. train weight with removable ball head $\langle kg \rangle$ | 14.900 | 14.900 |
| Total length (mm) | 9.740 | 10.040 |
| Total width/XL width (mm) | 2.500 | 2.500 |
| Total height (mm) | 3.760 | 3.760 |
| Wheel base (mm) | 4.760 | 5.060 |
| Lounge bench, left (mm) | 1.500 x 1.000 | 1.800 x 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2.000 x 1.630 | 2.000 x 1.630 |
| Folding bed (option) (mm) | 2.080 x 1.300 | 2.080 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.240 x 1.140 | 1.240 x 1.140 |
| | | |

EMPIRE LINER 98 MO



EMPIRE LINER 99 MS





الله الله

| عاق | - | |
|-----|---|--|
| | | |

| | Mercedes Benz Atego 1230 L | Mercedes Benz Atego 1230 L |
|---|-------------------------------|-------------------------------|
| Serial diesel engine (cylinders) | 6 | 6 |
| Cubic capacity (litres) | 7.7 | 7.7 |
| Max. power (KW/HP) | 220 / 299 | 220 / 299 |
| Max. torque (Nm) | 1.200 | 1.200 |
| Emission class | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 11.990 | 11.990 |
| Mass in running order (kg) ¹ | 9.640 | 9.500 |
| Payload (kg) ¹ | 2.350 | 2.490 |
| Tow load with removable ball head (kg) | 2.910 | 2.910 |
| Permissible max. train weight with removable ball head (kg) | 14.900 | 14.900 |
| | | |
| Total length (mm) | 10.040 | 10.140 |
| Total width/XL width (mm) | 2.500 | 2.500 |
| Total height (mm) | 3.760 | 3.760 |
| Wheel base (mm) | 5.060 | 5.060 |
| Lounge bench, left (mm) | 1.600 x 1.000 | 1.500 x 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2.000 x 1.630 | 2.000 x 1.630 |
| Folding bed (option) (mm) | 2.080 x 1.300 | 2.080 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.240 x 1.140 | 1.240 x 1.140 |
| | 415.900,00 € | 386.900,00 € |

EMPIRE LINER 100 GB

EMPIRE LINER 100 GO

(incl_Slide-Out









| - | Mercedes Benz Atego 1230 L | Mercedes Benz Atego 1530 L | Mercedes Benz Atego 1530 L |
|---|-------------------------------|-------------------------------|-------------------------------|
| Serial diesel engine (cylinders) | 6 | 6 | 6 |
| Cubic capacity (litres) | 7,7 | 7,7 | 7,7 |
| Max. power (KW/HP) | 220 / 299 | 220 / 299 | 220 / 299 |
| Max. torque (Nm) | 1.200 | 1.200 | 1.200 |
| Emission class | EURO 6 | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 11.990 | 15.000 | 15.000 |
| Mass in running order (kg) ¹ | 9.700 | 9.790 | 10.030 |
| Payload (kg) ¹ | 2.290 | 5.210 | 4.970 |
| Tow load with removable ball head (kg) | 2.910 | 2.780 | 2.780 |
| Permissible max. train weight with removable ball head (kg) | 14.900 | 17.780 | 17.780 |
| Total length (mm) | 10.290 | 10.290 | 10.290 |
| Total width/XL width (mm) | 2.500 | 2.500 | 2.500 |
| Total height (mm) | 3.760 | 3.760 | 3.760 |
| Wheel base (mm) | 5.360 | 5.360 | 5.360 |
| Lounge bench, left (mm) | 1.800 x 1.000 | 1.800 x 1.000 | 1.600 x 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2.000 x 1.630 | 2.000 x 1.630 | 2.000 x 1.630 |
| Folding bed (option) (mm) | 2.080 x 1.300 | 2.080 x 1.300 | 2.080 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.570 × 2.100 | 1.570 x 2.100 | 1.570 × 2.100 |
| | 403.900,00 € | 416.900,00 € | 446.900,00 € |

EMPIRE LINER 110 GSB

EMPIRE LINER 110 GSO









| | Mercedes Benz Atego 1530 L | Mercedes Benz Atego 1530 L |
|---|--------------------------------------|-------------------------------|
| Serial diesel engine (cylinders) | 6 | 6 |
| Cubic capacity (litres) | 7,7 | 7,7 |
| Max. power (KW/HP) | 220 / 299 | 220 / 299 |
| Max. torque (Nm) | 1.200 | 1.200 |
| Emission class | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 15.000 | 15.000 |
| Mass in running order (kg) ¹ | 10.440 | 10.680 |
| Payload (kg) ¹ | 4.560 | 4.320 |
| Tow load with removable ball head (kg) | 2.780 | 2.780 |
| Permissible max. train weight with removable ball head (kg) | 17.780 | 17.780 |
| Total length (mm) | 11.390 | 11.390 |
| Total width/XL width (mm) | 2.500 | 2.500 |
| Total height (mm) | 3.760 | 3.760 |
| Wheel base (mm) | 5.960 | 5.960 |
| Lounge bench, left (mm) | 1.800 x 1.000 | 1.600 x 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2.000 x 1.630 | 2.000 x 1.630 |
| Folding bed (option) (mm) | 2.080 x 1.300 | 2.080 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.570 × 2.100 | 1.570 x 2.100 |
| | 426.900,00 € | 456.900,00 € |

EMPIRE LINER 118 GSB

EMPIRE LINER 118 GSO

(incl_Slide-Out)









| | Mercedes Benz Atego 1530 L | Mercedes Benz Atego 1530 L |
|---|-------------------------------|-------------------------------|
| Serial diesel engine (cylinders) | 6 | 6 |
| Cubic capacity (litres) | 7,7 | 7,7 |
| Max. power (KW/HP) | 220 / 299 | 220 / 299 |
| Max. torque (Nm) | 1.200 | 1.200 |
| Emission class | EURO 6 | EURO 6 |
| Technically permissible max. weight (kg) ¹ | 15.000 | 15.000 |
| Mass in running order (kg) ¹ | 10.680 | 10.920 |
| Payload (kg) ¹ | 4.320 | 4.080 |
| Tow load with removable ball head (kg) | 2.780 | 2.780 |
| Permissible max. train weight with removable ball head (kg) | 17.780 | 17.780 |
| Total length (mm) | 11.990 | 11.990 |
| Total width/XL width (mm) | 2.500 | 2.500 |
| Total height (mm) | 3.760 | 3.760 |
| Wheel base (mm) | 6.260 | 6.260 |
| Lounge bench, left (mm) | 1.800 x 1.000 | 1.600 x 1.000 |
| Couch, right (mm) | 1.250 x 650 | 1.250 x 650 |
| Rear bed (mm) | 2.000 x 1.630 | 2.000 x 1.630 |
| Folding bed (option) (mm) | 2.080 x 1.300 | 2.080 x 1.300 |
| Rear garage door (clear height x width in mm) | 1.570 x 2.100 | 1.570 x 2.100 |
| | 443.900,00 € | 473.900,00 € |



ENGINE . CHASSIS . COCKPIT . LIGHTS

| | BASE VEHICLE EMPIRE | IVECO Daily 7,49 t |
|-------------|---|---------------------------|
| | Turbo diesel engine, with rear wheel drive | |
| Ш | Fuel tank, in litres | 90 |
| Z (0) Z (1) | Emission class EURO 6 | AdBlue |
| Z | Alternator | 14V / 210 A / 2.940 W |
| Ш | ZF 8-gear torque converter transmission | |
| | Differential lock for rear axle | |
| | Engine version C21, 151 kW / 205 HP | |
| | | |
| | All weather tires | |
| | Disc brakes, on front and rear axle | |
| <u> </u> | Air suspension front and rear axle, "Auto-Level" and various special features (on steel rims) | |
| S) S) | Electronic anti-lock braking system (ABS) | |
| CHASSIS | Traction control system (ASR) | |
| \Box | Electronical Stability Program (ESP) | |
| | Breakdown set, with warning triangle, first-aid kit, warning light, wheel chock and tire filling set | |
| | | |
| | Luxury driver's cab seats, with integrated seatbelts, air suspended with lumbar support, armrests and heating | |
| | Roller plissee behind windscreen, electrically activated, privacy screen, darkening blind and sunblind function | |
| | Panoramic windscreen with laminated glass, tinted, heatable | |
| | Flush, double-glazed driver's cab side windows, electrically activated | |
| | Air conditioning in driver's cab | |
| \vdash | Cruise control | |
| | Steering wheel, height adjustable | |
| O X | Outside mirrors and windscreen wiper system in bus-style with wide-angle and front mirror | |
| \Box | Independent premium dashboard, with ambient lighting, cupholder and cooled refreshment compartment | |
| | Navigation system with 9" touch screen and DAB / DAB+ tuner, incl. twin reversing camera with shutter and hands-free se | t for Bluetooth telephone |
| | High-performance 2-way loudspeakers in driver's cab side panelling | |
| | Sockets, 1 x 12V, 1 x USB and 2 x 230V | |
| | Optimized noise insulation of engine compartment | |
| | Fully insulated driver's cab, new GRP module | |
| | | |
| | LED headlights 12 V | |
| S | Fog lights | |
| | LED daytime running lights | |
| Ĭ | LED rear lights | |
| | | |

STANDARD EQUIPMENT MORELO EMPIRE

STRUCTURE . FOLDING BED . LIVING ROOM + BEDROOM

| Authminia side bars on the not, with native the head to help seeping side walls clean Side wals in ALL-ATMA-BLU candwich design, shall protection and wigh-gloss Root in DRP-RETWORP Barne wich design, mail protection and wheat conductivity Underfloor in SRP-RETWORP Barne wich design, call protection and wheat conductivity Underfloor in SRP-RETWORP Barne wich design, call protection, protection, Barnetys cage Lightning protection, Barnety and Lightning states are all luminated, with two incorporated pull-out drawars Top Closs' criticance does multi-verified with side access via ceternal flacs Top Closs' criticance does and Lilluminated, with two incorporated pull-out drawars Extended and the side of the s | | Side walls and roof are 52 mm thick, 50 mm of which consists of closed-cell RTM hard foam | |
|--|-------------|---|---|
| Side walls in ALU RTM ALU sandwich design, smooth and high igloss Ranif in GRP-RTM-CRP sandwich design, half protection and law heat conductivity Underfloor in GRP-RTM-CRP sandwich design, ribust, correctant-free, in tribber used Code-bridge-free wall juint transchology using highly compressed rigid PLI profiles Lightning protection. Furaddy cage Heatable double floor supproximately 420 mm high, side access via external flaps Top Class' entrance door with window earto large, electric with code look and remote control. Ryscreen and mechanical emergency unlooking Interior entrance step, heated and fills minated, with two incorporations publicular drawers Exterior entrance step, beated and fills minated, with two incorporations publicular drawers Exterior entrance step, beated and fills minated, with two incorporations publicular drawers Exterior entrance step, heated and fills minated, with two incorporations publicular drawers Exterior entrance step, beated and fills minated, with two incorporations publicular drawers Exterior entrance step, heated and fills minated, with selectly circuit Rear agrange with disors to the right and is the left, floor rails with selectly circuit Rear agrange with disors to the right and is the left, floor rails with selectly circuit Rear agrange with disors to the design publication in filling area, doubtle glazed and finited, outlapsitic outwards, with pleaded brackout blind and flyscreen Sensing and the rest skirting, from highly sturey fibreglass compound Dustice applications in real glass, black Sturdy handle for easy entry, backlighted Experiment of the exterior structure Front and lateral skirting, from highly sturey fibreglass compound Dustice applications in real glass, black Sturdy handle for easy entry, backlighted Experiment of the protection with fly protection and the service of the matters of the disabound Midi roof window with flysoreen and pleated blackout blind in the bedroom Dubble glazed, pencoramic roof window with flysoreen and pleated blackout blind in the i | | | |
| Roof in GRP-RTM-ALU sandwich design, halt protection and low heat conductivity Underfloor in DRP-RTM-ALU sandwich design, nous transcription-free, no timber uses Cold-bridge-free walt joint technology, using highly compressed right PU profiles Lightning protection. Faraday cage Leatable double floor, approximately 420 mm high, side access via external flaps Tool Class' enforce one with window, exit a large, electric will code took and remote control. flyscreen and mechanical emergency unlooking Interior antimance step, heated and illuminated, whit he incorporated by Loud trawers Faterior entrance step, heated and illuminated, whit he incorporated by Loud trawers Faterior entrance step, heated, electrically extendable with safety circuit Rear yearing with doors to the right and to the left floor nails with lashing eyelets and 280 V socket, electrical release Rear wall with fibreglass compound sandwich design. PU fram core Cannuine glass windows in Linking area, dissibility and soft interfunctions Storage in RTM technology, insubted LED lighted double floor includes Christopy wood free exterior structure Finner and lateral skirting, from highly sturey fibreglass compound Outside applications in real glass, black Sturdy handle for easy entry, backlighted Seylight, with flyscreen and pleated blackout blind Floor covering made from easy-care, high-grade vinyl Floor in grade grade genomic roof window with flyscreen and pleated blackout blind in the befrom Notific roof window, with flyscreen and pleated blackout blind in the befrom Dubbing careful growth and the proporation up his sterry, in seat he is Seating group with ergonomic upholstery, on seat he is Seating group with ergonomic upholstery, on seat he is Seating group with ergonomic upholstery, on seat he is Seating group with ergonomic upholstery, on seat he is Seating group with ergonomic upholstery, on seat he is Seating group with ergonomic upholstery, on seat he is Seating group with ergonomic upholstery, on seat he is Seating group with ergonom | | | |
| Underfloor in SRP RTM SRP sandwich design, robust, corrosion free, no timber used Cid-bridge-free wall joint sechnology, using highly compressed rigid PU profiles Lightning protection. Franday cage Heatable double floor, approached your make just and the profiles of | | | |
| Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles | | | |
| Lightning protection, Faraday coge Healthird governmentery 420 mm high, side access wall externed flags Top Class' entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking Interior entrance step, headed and illuminated, with two incorporated public of drawers Exterior entrances step, 2-step, electrically extendable with safety circuit Rear garage with dears to the right and to the left, floor rails with bashing cyclets and 230 V socket, electrical release Rear wall with fibringliss compound sandwich design, PU foran core Senuine glass windows in timing area, deaplet glazed and tinted, collapsible outwards, with pleated blackout blind and flyscreen Sturage in RTM technology, insulated LED lighted double floor incisers Entirely wood free exterior structure Front and lateral skirting, from highly sturely fibringlisss compound Outside applications in real glass, black Sturdy handle for easy entry, backlighted Skylight, with flyscreen and pleated blackout blind Comfort bed suspension with multi-zone cold foram mattress Lying serface approximately 2.080 x 1.000 mm Combined parts of the control of the protection of the p | - | | |
| Heatable double floor, approximately 420 mm high, side access via external flaps Top Class' entrance door with window, extra large, electric with code look and remote control, thyscreen and mechanical emergency unlocking Interior entrance step, heated and illuminated, with two incorporated public and external flaps. Exterior entrance step, beated and illuminated, with two incorporated public and external flaps. Exterior entrance step, beated and illuminated, with two incorporated public and external flaps. Exterior entrance step, 2-step electrically extendable with safety circuit. Rear garage with doors to the right and to the felt, floor rails with lashing eyelets and 230 V socket, electrical release. Rear wall with fibreglass compound sandwich design, PU finam core. Storage in RTM technology, insulated. 1ED lighted double floor lockers. Entirely wood-free exterior structure. Front and lateral skriting, from highly sturdy fibreglass compound. Quiside applications in real glass, black. Strudy handle for easy entry, backlighted. Skryight, with flyscreen and pleated blackout blind. Comfort bed suspension with multi-zone cold form mattress. Lighting curtain. Skryight, and from easy-care, high-grade vinyl. Elst living area floor, from the rear to the dashboard. Midd foor window, with flyscreen and pleated blackout blind in the bedroom. Boubte glazzed, panaramic roof window with flyscreen and pleated blackout blind in the tiving area. Lighting canopies with LED spots incl. indirect lighting, dimmable. Rear bed comfortably suspended with ExoPore multi-zone mattress and "water gel" - topping, with adjustable head part. Wardrobes with LED lighting. Microfitre upholatery, including driver and passenger seats. Multifunctional couch with expensive sliding range, laminated. Double pull-out furniture at the entrance. Scalete in the living area and in the bedroom. Wall and zeiling paralling with artificial leather, smooth finishing. | | | |
| Top Class* entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking Interior entrance step, heated and illuminated, with two incorporated pull-out drawers Exterior entrances step, heated and illuminated, with two incorporated pull-out drawers Exercise entrances step, heated and illuminated, with two incorporated pull-out drawers Exercise entrances step, heated and illuminated, with two incorporated pull-out drawers Exercise entrances step, heated and illuminated, with two incorporated pull-out drawers Rear early with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release Rear wall with fibreglass compound sandwich design, PU form core Genuine glass windows in living area, doubte-plazed and tinted, collapsible outwards, with pleated blackout blind and flyscreen Storage in RTM technology, insulated LED lighted doubte floor lockers Entirely wood-free exterior structure Front and lateral skirring, from highly sturdy fibreglass compound Outside applications in real glass, black Sturpy handle for easy entry, backlighted Skylight, with flyscreen and pleated blackout blind Comfort bed suspension with multi-zone cold foam mattress Lying surface approximately 2.080 x 1.300 mm Dividing curtain Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the disabloard Midi roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Liphing canopies with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, no seat belts Seating group with removemic upholstery, confortable multi-layer design with diol-based padding and zip fasteners Extensible, sturry table, with extensive slidi | | | |
| Genuine glass windows in living area, double-glazed and tinted, collapsible outwards, with pleated blackout blind and flyscreen Storage in RTM technology, insulated LED lighted double floor lockers Entirely wood-free exterior structure Front and lateral skirting, from highly sturdy fibreglass compound Outside applications in real glass, black Sturdy handle for easy entry, backlighted Skylight, with flyscreen and pleated blackout blind Comfort bed suspension with multi-zone cold foam mattress Lying surface approximately 2,080 x 1,300 mm Dividing curtain Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Midir roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and 'water gel' - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial teather, smooth finishing | | | |
| Genuine glass windows in living area, double-glazed and tinted, collapsible outwards, with pleated blackout blind and flyscreen Storage in RTM technology, insulated LED lighted double floor lockers Entirely wood-free exterior structure Front and lateral skirting, from highly sturdy fibreglass compound Outside applications in real glass, black Sturdy handle for easy entry, backlighted Skylight, with flyscreen and pleated blackout blind Comfort bed suspension with multi-zone cold foam mattress Lying surface approximately 2,080 x 1,300 mm Dividing curtain Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Midir roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and 'water gel' - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial teather, smooth finishing | <u>u</u> | | |
| Genuine glass windows in living area, double-glazed and tinted, collapsible outwards, with pleated blackout blind and flyscreen Storage in RTM technology, insulated LED lighted double floor lockers Entirely wood-free exterior structure Front and lateral skirting, from highly sturdy fibreglass compound Outside applications in real glass, black Sturdy handle for easy entry, backlighted Skylight, with flyscreen and pleated blackout blind Comfort bed suspension with multi-zone cold foam mettress Lying surface approximately 2,080 x 1,300 mm Dividing curtain Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Midir cord window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and "water gel" - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, no seat belts Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and celling panelling with artificial leather, smooth finishing | <u> </u> | | |
| Cenuine glass windows in living area, double-glazed and tinted, collapsible outwards, with pleated blackout blind and flyscreen Storage in RTM technology, insulated LED lighted double floor lockers Entirely wood-free exterior structure Front and lateral skirting, from highly sturdy fibreglass compound Outside applications in real glass, black Sturdy handle for easy entry, backlighted Skylight, with flyscreen and pleated blackout blind Comfort bed suspension with multi-zone cold fearm mattress Lying surface approximately 2,080 x 1,300 mm Dividing curtain Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Midir cof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and "water gel" - topping, with adjustable head part Wardrobes with LED slighting Microfibre upholstery, including driver and passenger seats Wultifunctional couch with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial teather, smooth finishing | | | |
| Genuine glass windows in living area, double-glazed and tinted, collapsible outwards, with pleated blackout blind and flyscreen Storage in RTM technology, insulated LED lighted double floor lockers Entirely wood-free exterior structure Front and lateral skirting, from highly sturdy fibreglass compound Outside applications in real glass, black Sturdy handle for easy entry, backlighted Skylight, with flyscreen and pleated blackout blind Comfort bed suspension with multi-zone cold foam mattress Lying surface approximately 2,080 x 1,300 mm Dividing curtain Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Midir roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and 'water gel' - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial teather, smooth finishing | ∐ - | | |
| Storage in RTM technology, insulated LED lighted double floor lockers Entirely wood-free exterior structure Front and lateral skirting, from highly sturdy fibreglass compound Outside applications in real glass, black Sturdy handle for easy entry, backlighted Skylight, with flyscreen and pleated blackout blind Comfort bed suspension with multi-zone cold foarn mattress Lying surface approximately 2.080 x 1.300 mm Dividing curtain Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Midir coof window, with flyscreen and pleated blackout blind in the bedroom Deuble-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and "water gel" - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional cauch with ergonomic upholstery, no seat belts Seating group with ergonomic upholstery, on seat belts Seating group with ergonomic upholstery, on seat belts Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and celling panelling with artificial leather, smooth finishing | U) | | |
| Entirely wood-free exterior structure Front and lateral skirting, from highly sturdy fibreglass compound Outside applications in real glass, black Sturdy handle for easy entry, backlighted Skylight, with flyscreen and pleated blackout blind Comfort bdd suspension with multi-zone cold foam mattress Lying surface approximately 2.080 x 1.300 mm Dividing curtain Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Midi roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and "water gel" - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, no seat belts Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double-pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial leather, smooth finishing | | | |
| Entirely wood-free exterior structure Front and lateral skirting, from highly sturdy fibreglass compound Outside applications in real glass, black Sturdy handle for easy entry, backlighted Skylight, with flyscreen and pleated blackout blind Comfort bed suspension with multi-zone cold foam mattress Lying surface approximately 2,080 x 1,300 mm Dividing curtain Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Midi roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and 'water gel' - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, no seat belts Seating group with ergonomic upholstery, so seat belts Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial leather, smooth finishing | | | |
| Front and lateral skirting, from highly sturdy fibreglass compound Outside applications in real glass, black Sturdy handle for easy entry, backlighted Skylight, with flyscreen and pleated blackout blind Comfort bed suspension with multi-zone cold foam mattress Lying surface approximately 2.080 x 1.300 mm Dividing curtain Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Mid roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and "water gel" - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, no seat belts Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial leather, smooth finishing | | LED lighted double floor lockers | |
| Outside applications in real glass, black Sturdy handle for easy entry, backlighted Skylight, with flyscreen and pleated blackout blind Comfort bed suspension with multi-zone cold foam mattress Lying surface approximately 2.080 x 1.300 mm Dividing curtain Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Midi roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and "water gel" - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, no seat belts Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial leather, smooth finishing | | Entirely wood-free exterior structure | |
| Sturdy handle for easy entry, backlighted Skylight, with flyscreen and pleated blackout blind Comfort bed suspension with multi-zone cold foarn mattress Lying surface approximately 2.080 x 1.300 mm Dividing curtain Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Midi roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and "water gel" - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, no seat belts Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial leather, smooth finishing | | Front and lateral skirting, from highly sturdy fibreglass compound | |
| Skylight, with flyscreen and pleated blackout blind Comfort bed suspension with multi-zone cold foam mattress Lying surface approximately 2.080 x 1.300 mm Dividing curtain Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Midi roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and "water gel" - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, no seat belts Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and celling panelling with artificial leather, smooth finishing | | Outside applications in real glass, black | |
| Comfort bed suspension with multi-zone cold foam mattress Lying surface approximately 2.080 x 1.300 mm Dividing curtain Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Midi roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and "water gel" - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, no seat belts Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial leather, smooth finishing | | Sturdy handle for easy entry, backlighted | |
| Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Midi roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and "water gel" - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, no seat belts Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial leather, smooth finishing | | Skylight, with flyscreen and pleated blackout blind | |
| Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Midi roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and "water gel" - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, no seat belts Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial leather, smooth finishing | Ш Ш | Comfort bed suspension with multi-zone cold foam mattress | _ |
| Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Midi roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and "water gel" - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, no seat belts Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial leather, smooth finishing | | Lying surface approximately 2.080 x 1.300 mm | |
| Flat living area floor, from the rear to the dashboard Midi roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and "water gel" - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, no seat belts Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial leather, smooth finishing | | Dividing curtain | |
| Midi roof window, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and "water gel" - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, no seat belts Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial leather, smooth finishing | • | Floor covering made from easy-care, high-grade vinyl | |
| Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed comfortably suspended with EvoPore multi-zone mattress and "water gel" - topping, with adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats Multifunctional couch with ergonomic upholstery, no seat belts Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall and ceiling panelling with artificial leather, smooth finishing | | Flat living area floor, from the rear to the dashboard | |
| Wall and ceiling panelling with artificial leather, smooth finishing | | Midi roof window, with flyscreen and pleated blackout blind in the bedroom | |
| Wall and ceiling panelling with artificial leather, smooth finishing | > | Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area | |
| Wall and ceiling panelling with artificial leather, smooth finishing | | | |
| Wall and ceiling panelling with artificial leather, smooth finishing |) H | | |
| Wall and ceiling panelling with artificial leather, smooth finishing | 3 E | Wardrobes with LED lighting | |
| Wall and ceiling panelling with artificial leather, smooth finishing | + | Microfibre upholstery, including driver and passenger seats | |
| Wall and ceiling panelling with artificial leather, smooth finishing | Σ | Multifunctional couch with ergonomic upholstery, no seat belts | |
| Wall and ceiling panelling with artificial leather, smooth finishing | Õ | Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners | |
| Wall and ceiling panelling with artificial leather, smooth finishing | (Ŋ | | |
| Wall and ceiling panelling with artificial leather, smooth finishing | Ž | | |
| Wall and ceiling panelling with artificial leather, smooth finishing | <u>></u> | | |
| | | | |
| | | | |
| | | - | |

KITCHEN . BATHROOM . GAS + HEATING + WATER . ELECTRONICS

| | Mineral material kitchen worktop with seamlessly integrated wash/waste bowl and domestic drains, fully deep drawers, Nespresso coffee machi |
|---|--|
| | 3-flame stainless steel gas cooker, installed countersunk with automatic ignition and glass cover |
| | Single-lever mixer tap, chrome |
| | Drawers with super-soft closing and cutlery insert |
| | Pull-out waste bin with two removable containers |
| | LED spots |
| S | Sockets 2 x 230 V |
| Ç | Skylight, with flyscreen and pleated blackout blind |
| ٧ | Washstand, with seamlessly integrated sink, push open valve and domestic drain |
| Е | Extensible single-lever mixer tap, chrome |
| Ç | Soap dispenser, cup holder and pull-out towel bars |
| L | Lighted closet |
| Ç | Separate shower, with rain shower and additional handheld shower |
| Ç | Separate toilet area with optional luxury bathroom |
| Τ | Toilet window, with flyscreen and pleated blackout blind |
| C | Ceramic toilet bowl with 250 litres toilet tank |
| Т | Toilet paper holder and toilet brush |
| C | Spacious wardrobe with LED lighting |
| L | .ED spots |
| Ç | Sockets 2x 230V |
| 7 | 70 litres gas tank with level indicator in the control panel display and external gas bottle connection |
| Ę | 5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off |
| E | Electrical heating element, 230V, up to 3.000W |
| E | Engine heat exchanger, for using engine calories to heat up the living area |
| F | Floor heating in living area, bathroom and driver's cabin |
| C | Chromed towel dryer radiator in bathroom, with thermostat control |
| ŀ | Heat regulating thermostat in bedroom and rear garage |
| h | ntegrated hot water boiler, serving all tapping points |
| 3 | 380 litres fresh water tank, 250 litres wastewater tank and 250 litres toilet tank, situated in the heated double floor |
| Е | Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection |
| | Domestic style wastewater pipes |
| F | Flushing connections for wastewater tank and toilet tank |
| C | Central pressure water supply |
| 2 | 230 V socket in the garage |
| | 230 V CEE connection, with insulated floor inlet |
| l | Lithium battery 2 x 160 Ah (100% energy withdrawal), combined charger / inverter, 120 A / 3.000 W, with power-sharing, |
| | ully automatic battery protection, premium control panel and 230 V socket in the garage |
| | TV-Sound system with 4 loudspeakers and subwoofer when optional TV package |

Central control and monitoring panel, with colour touch screen

Shut-off function for on-board electrical system, in case of undervoltage/overheating

On-board electronics, microprocessor-controlled with bus technology

Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers

Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others

LCD control panel, for monitoring external and internal temperature, external current supply, parallel battery circuit, battery voltage of vehicle and leisure battery

LCD control panel, for monitoring the wastewater tank, fresh water tank, gas level (only when gas tank fitted), charging/discharging current, date and time with alarm function

DOMETIC FRESHJET 3200

ROOFTOP AIR CONDITIONING


On vacation, temperature and humidity have a decisive influence on your well-being. With our Dometic Freshjet 3200 you can keep a cool head on the road or heat up your motorhome neatly on cold days. Even with unstable power supply and voltage drops.



MORELO, more than just standard. Dometic. Mobile living made easy.

OUR ADVICE

Use the air conditioning as a duo to create two separate climates in the bedroom and living area.





BECOME INDEPENDENT


HIGH-PERFORMANCE SOLAR MODULES FOR YOUR MORELO

With the Black Line modules from Büttner Elektronik, you have a reliable energy supplier on your roof in every situation.

The special feature of these highperformance modules are the 72 cells and the associated multicell technology.



Compared to conventional 36-cell modules, the Black Line plays its cards even in difficult weather conditions or in partial shade.









ENGINE . CHASSIS . SAFETY . COCKPIT . LIGHTS

| BASE VEHICLE EMPIRE LINER | Mercedes Benz Ate 12 t / 15 t |
|--|----------------------------------|
| Turbo diesel engine, with rear wheel drive | |
| Differential lock | |
| Fuel tank, in litres | 180 |
| Emission class EURO 6 | AdBlue |
| Automatized transmission | 8-speed |
| Alternator | 28V / 150 A / 4.200 V |
| | |
| Tires rear axle with traction profile | 285 / 70 R 19.5 |
| Dual-circuit compressed air brake and engine brake | |
| Disc brakes, on front and rear axle | |
| Electronic anti-lock braking system (ABS) | |
| Traction control system (ASR) | |
| Electronical Stability Program (ESP) | |
| Air suspension on rear axle, with 'lifting and lowering' function | |
| Air suspension on front and rear axles, with 'lifting and lowering' function | |
| Breakdown set, with warning triangle, first-aid kit, warning light and wheel chock | |
| Spare wheel with bracket | |
| | |
| Lane Departure Warning | |
| Emergency Brake Assist | |
| Reinforced Motor Brake | |
| Underride protection | |
| | |
| Luxury air suspended driver and passenger seats, with integrated belt system, lumbar support, heating and armres | sts |
| Roller plissee behind windscreen, electrically activated, privacy screen function | |
| Panoramic windscreen with laminated glass, tinted, heatable | |
| Flush, double-glazed driver's cab side windows, electrically activated | |
| Air conditioning in driver's cab | |
| Cruise control | |
| Steering wheel, adjustable in height and angle | |
| Outside mirrors and windscreen wiper system in bus-style with wide-angle and front mirror | |
| Independent premium dashboard, with ambient lighting, cupholder and cooled refreshment compartment | |
| Navigation system with 9" touch screen and DAB/ DAB+ tuner, incl. twin reversing camera with shutter and hands-f | ree set for Rhijetooth telephone |
| High-performance 2-way loudspeakers in driver's cab side panelling | ree set for bluetooth telephone |
| Sockets, 1 x 12V, 1 x USB and 2 x 230V | |
| | |
| Optimized noise insulation of engine compartment | |
| Fully insulated driver's cab, new GRP module | |
| | |
| LED main headlights, with optical lens and additional main beam | |
| LED main headlights, with optical lens and additional main beam Fog lights | |
| | |

| | Side walls and roof are 52 mm thick, 50 mm of which consists of closed-cell RTM hard foam | |
|------------|--|--------|
| | Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean | |
| | Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss | |
| | Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity | |
| | Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used | |
| | Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles | |
| ı. | Garage door with electrical unlocking | |
| | Lightning protection, Faraday cage | |
| | Heatable double floor, approximately 480 mm high, side access via external flaps | |
| | "Top Class" entrance door with window, extra large, electric with code lock and remote control, flyscreen and mechanical emergency unlocking | |
| - | Interior entrance step, heated, with two incorporated pull-out drawers | |
|)) - | Exterior entrace step 3-step, very sturdy, lighted, electrically extendable with safety circuit | |
| | Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not with G models) | |
|) . | Rear wall with fibreglass compound sandwich design, PU foam core | |
| | Genuine glass windows in living area, double-glazed and tinted, collapsible outwards, with pleated blackout blind and flyscreen | |
| | Storage flaps in RTM technology, insulated | |
| 1 | LED lighted double floor lockers | |
| | Entirely wood-free exterior structure | |
| | Front and lateral skirting, from highly sturdy fibreglass compound | |
| | Outside applications in real glass, black | |
| | Rear garage hatch with electrical opening and closing, only for G-models | |
| | Sturdy handle for easy entry, backlighted | |
| - | | |
| | Skylight, with flyscreen and pleated blackout blind | |
| | Comfort bed suspension with multi-zone cold foam mattress | TIONAL |
| | Lying surface approximately 2.080 x 1.300 mm | |
| | Dividing curtain | |
| • | Floor covering made from easy-care, high-grade vinyl | |
| | Flat living area floor, from the rear to the dashboard | |
| | Midi roof window, with flyscreen and pleated blackout blind in the bedroom | |
| | Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area | |
| | Lighting canopies with LED spots incl. indirect lighting, dimmable | |
| | Rear bed comfortably suspended with multi-zone mattress and "water gel" - topping, with adjustable head part | |
| • | Wardrobes with LED lighting | |
| | Microfibre upholstery, including driver and passenger seats | |
| | Multifunctional couch with ergonomic upholstery, no seat belts | |
| | Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners | |
| | Extensible, sturdy table, with extensive sliding range, laminated | |
| | Double pull-out furniture at the entrance, top one for coats | |
| 1 | Sockets in the living area and in the bedroom | |
| | Wall and ceiling panelling with artificial leather, smooth finishing | |
| • | | |
| | Elegant venetian blinds | |
| | | |

KITCHEN . BATHROOM . GAS + HEATING + WATER

| | 190 litres AES refrigerator, with separate freezer compartment, automatic and manual energy selection, gas oven with a grill |
|---|---|
| | Mineral material kitchen worktop with seamlessly integrated wash/waste bowl and domestic drains, fully deep drawers, Nespresso coffee machine |
| | 3-flame stainless steel gas cooker, installed countersunk with automatic ignition and glass cover |
| | Single-lever mixer tap, chrome |
| | Drawers with super-soft closing and cutlery insert |
| | Pull-out waste bin with two removable containers |
| | LED spots |
| | Sockets 2 x 230V |
| | |
| | |
| _ | Skylight, with flyscreen and pleated blackout blind |
| | Washstand, with seamlessly integrated sink, push open valve and domestic drain |
| | Extensible single-lever mixer tap, chrome |
| | Soap dispenser, cup holder and pull-out bars |
| | Lighted closet |
| | Separate shower, with rain shower and additional handheld shower |
| | Separate toilet area with optional luxury bathroom |
| | Toilet window, with flyscreen and pleated blackout blind with premium bathroom |
| | Ceramic toilet bowl with 300 litres toilet tank |
| | Toilet paper holder and toilet brush |
| | Spacious wardrobe with LED lighting |
| | LED spots |
| | Sockets 2 x 230V |
| | |
| _ | |
| | 120 litres gas tank with level indicator in the control panel display and external gas bottle connection |
| | 5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off |
| | Electrical heating element, 230V, up to 3.000W |
| | Engine heat exchanger, for using engine calories to heat up the living area |
| | Floor heating in living area and bathroom |
| | Chromed towel dryer radiator in bathroom, with thermostat control |
| | Heat regulating thermostat in bedroom and rear garage |
| | Integrated hot water boiler, serving all tapping points |
| | 450 litres fresh water tank, 300 litres wastewater tank and 300 litres toilet tank, situated in the heated double floor |
| | Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection |
| | Domestic style wastewater pipes |
| | Flushing connections for wastewater tank and toilet tank |
| | |

230V socket in the garage

230V CEE connection, with insulated floor inlet

Lithium battery 2 x 160 Ah (100% energy withdrawal), combined charger / inverter, 120 A / 3.000 W, with power-sharing,

fully automatic battery protection, premium control panel and 230 V socket in the garage

TV-Sound system with 4 loudspeakers and subwoofer when optional TV package

Solar panel with 130W maximum power

Central control and monitoring panel, with colour touch screen

Shut-off function for on-board electrical system, in case of undervoltage/overheating

On-board electronics, microprocessor-controlled with bus technology

Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers

Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others

LCD control panel, for monitoring external and internal temperature, external current supply, parallel battery circuit,

battery voltage of vehicle and leisure battery

LCD control panel, for monitoring the wastewater tank, fresh water tank, gas level (only when gas tank fitted),

charging/discharging current, date and time with alarm function

FULLY AUTOMATED JACK SYSTEM


JUST LEVEL

Make your stay in your MORELO as comfortable and easy as possible: Our leveling iack system is adapted to your vehicle, just press a button and the system places your vehicle horizontally on 4 jacks. Despite their low weight, each jack can lift up to 10 tons. Of course, our premium system also works purely hydraulically when the lifting supports are moved in, i.e. even mud submurged jacks are easily fully retracted.



Our advice

The E + P leveling jack system is very robust and protected against corrosion. Arrive and extend the jacks - just level.





WELCOME TO THE WARM

ALDE FLOW

Alde Flow is a separate hot water tank that you can connect to the water-glycol circuit of the heating system. The hot water tank preheats the fresh water before it gets into the actual hot water tank of the boiler.



Alde Flow, along with the Alde Compact 3020HE (valid as of 2016 model), with Boost mode activated and a flow rate of 3.5 l / min (capacity of a normal shower tap), will provide continuous 40 ° C shower water as long as the fresh water supply is sufficient.



MORELO EMPIRE LINER 56 | 57

SPECIAL EQUIPMENT MORELO EMPIRE

CHASSIS. COCKPIT. STRUCTURE. KITCHEN

Item / Weight¹

| | BASE VEHICLE EMPIRE - IVECO DAILY | IVECO Daily |
|---|---|---|
| 011218 / 128 | Original IVECO retarder (standard 70 l fuel tank) | 7.990,00 \$ |
| 018152D / 110 | 200 litres fuel tank (instead of serial standard) ³ | 2.290,00 + |
| 018225 / 05 | Active-Air Chassis (only combined with full air suspension) | 4.990,00 |
| 018160D-01 / 0 | Light metal rims "Radial" on front axle with spur widening, steel rims with wheel trims on rear axle | 3.290,00 |
| 018177 / 0 | Light metal rims "BiColor" on front axle with spur widening, steel rims with wheel trims on rear axle | 3.290,00 |
| 018178-01 / 0 | Light metal rims "Silver" on front axle with spur widening, steel rims with wheel trims on rear axle | 3.290,00 |
| 018170D / 08 | Spur widening on front axle, only for steel rims | 490,00 |
| 018180 / 20 | Spur widening on rear axle | 790,00 |
| 018175 / 32 | Daily "wide axle" front axle (spur widening on front axle +200 mm) | 7.290,00 |
| 018131D / 08 | Electrical and technical preparation for trailer coupling | 790,00 |
| 018119 / 46 | Removable trailer coupling up to max. 3.500 kg incl. technical and electrical preparation for trailer coupling | 2.690,00 |
| 018234D / 90 | Hydraulic leveling jacks with automatic leveling | 8.490,00 |
| 018321 / 55 | Spare steel wheel with holder underneath lowered rear | 490,00 |
| 017305 / 06 021039 / 06 | MORELO exclusive leather steering wheel, removable to improve seat rotation and deter theft Double horn air fanfare | |
| | | 890,00 |
| | | 890,00 |
| | | 890,00 |
| 021039 / 06 | Double horn air fanfare | all model 2.990,00 |
| 021039 / 06 | Double horn air fanfare Electrically operated roof awning 6,0 m, with dimmable LED lighting, incl. remote control | 890,00 all model 2.990,00 690,00 |
| 021039 / 06 022008 / 60 022050 / 01 | Electrically operated roof awning 6,0 m, with dimmable LED lighting, incl. remote control LED lighting underneath of roof profile on driver's side, dimmable with remote control | 890,00 all model 2.990,00 690,00 890,00 |
| 021039 / 06 022008 / 60 022050 / 01 025148 / 07 | Electrically operated roof awning 6,0 m, with dimmable LED lighting, incl. remote control LED lighting underneath of roof profile on driver's side, dimmable with remote control Panoramic roof window, Heki 3, in bedroom (instead of standard midi roof window) | 890,00 all model 2.990,00 690,00 890,00 |
| 021039 / 06 022008 / 60 022050 / 01 025148 / 07 | Electrically operated roof awning 6,0 m, with dimmable LED lighting, incl. remote control LED lighting underneath of roof profile on driver's side, dimmable with remote control Panoramic roof window, Heki 3, in bedroom (instead of standard midi roof window) | 890,00 all model 2.990,00 690,00 890,00 320,00 |
| 021039 / 06 022008 / 60 022050 / 01 025148 / 07 037500 / 07 | Electrically operated roof awning 6,0 m, with dimmable LED lighting, incl. remote control LED lighting underneath of roof profile on driver's side, dimmable with remote control Panoramic roof window, Heki 3, in bedroom (instead of standard midi roof window) Furniture safe with electronic locking and automatic locking system Microwave oven in stainless steel, with grill function underneath of worktop (230 V via mains connection, | 1.550,00 s 890,00 s all model 2.990,00 s 890,00 s 1.290,00 s 1.990,00 s |

Prices in Euro (incl. 20 % VAT)

1) Weight in kg 2) by using the original tank sensor a filling level above 150 litres is indicated as "full"!

SPECIAL EQUIPMENT MORELO EMPIRE

LIVING + BEDROOM . BATHROOM . ELECTRONICS . MULTIMEDIA

| | | all models |
|---|--|--|
| 051926 / 47 | Electrically activated folding bed (instead of front overhead lockers) | 2.490,00 |
| 042202 / 07 | Height-adjustable table column, with extra cushion insert (only for lounge seating group) | 790,00 |
| 035218 / 97 | Bar seating group (passenger's side), with adjustable single seat and multifunctional bench (incl. homologation for additional persons) | 2.290,00 |
| 044102 / 05 | Central vacuum cleaner, with convenient emptying | 990,00 |
| 036152 / 07 | Rear bed with lying surface over the entire width, for L-layouts | 990,00 |
| 036153 / 13 | Rear bed with lying surface over the entire width, for M-layouts, overhead lockers like in L-version | 1.990,00 |
| 045290 / 0 | Double pull-out furniture at the entrance, top one also with shelf (not for coats) | 590,00 |
| 045291 / 02 | Double pull-out furniture at the entrance, top one with glasses (not for coats) | 590,00 |
| 035984 / 45 | Seatbelts for 2 persons at multifunctional seating bench | 890,00 |
| 035990 / 05 036187 / 30 | Greywater pump for transfer of wastewater into the toilet tank Luxury bathroom with separate toilet area, window and mini heki | 890,00 2.990,00 |
| 036033 / 03 | Extensible shower next to toilet | 300,00 |
| | | |
| 025043 / 40 | Roof air conditioning, for living area with infrared remote control (total vehicle height + 130 mm) | 3.190,00 |
| 031050 / 02 | Alarm system | 1.290,00 |
| | Roof air conditioning, for bedroom with infrared remote control (not in combination with panoramic roof | |
| 025044 / 40 | | 3 190 00 |
| 025044 / 40 | window - total vehicle height + 130 mm) | 3.190,00 |
| 025044 / 40 | window - total vehicle height + 130 mm) Solar panel, with 130 W maximum power | |
| | | 1.490,00 |
| 037186 / 12 | Solar panel, with 130 W maximum power | 1.490,00 |
| 037186 / 12 037187 / 23 | Solar panel, with 130 W maximum power Solar panels, with 2 x 130 W maximum power Sine wave inverter 300 W (with separate socket and on/off switch | 3.190,00 1.490,00 2.190,00 450,00 |
| 037186 / 12 037187 / 23 | Solar panel, with 130 W maximum power Solar panels, with 2 x 130 W maximum power Sine wave inverter 300 W (with separate socket and on/off switch | 1.490,00 |
| 037186 / 12 037187 / 23 031450 / 05 | Solar panel, with 130 W maximum power Solar panels, with 2 x 130 W maximum power Sine wave inverter 300 W (with separate socket and on/off switch for continuous use of small appliances, f.e. a respirator) Satellite TV system, with 24" flat screen underneath cabinet in entrance area (left-hand side), 85 cm dish, fully automatic orientation, digital receiver, multi-user facility via TWIN-LNB and 24" flat screen TV in bed- | 1.490,00 2.190,00 450,00 |

Prices in Euro (incl. 20 % VAT)

1) Weight in kg

GAS + HEATING + WATER . UPHOLSTERY + DECO

| Item / Weight ¹ | | all models |
|----------------------------|---|------------|
| | | |
| 034202 / 03 | External shower on the driver's side in the rear | 300,00€ |
| 018600 / 15 | Diesel auxiliary heating, with convenient continuous heating via heat exchanger (5.200 W), including timer | 2.950,00 € |
| 033027 / 03 | Outside gas point, at passenger's side behind side skirt flap | 290,00€ |
| 033013 / 18 | 120 litres gas tank, with remote filling in the side wall and level indicator in control panel display (instead of standard 70 litres tank) | 400,00€ |
| 023103 / 77 | 2.600 W generator with 10 l petrol tank, fixed installation | 4.990,00€ |
| | | |

| 050100 / 0 | Microfibre upholstery, in variety of patterns | • |
|-------------|---|------------|
| 050505 / 0 | BiColour microfibre upholstery, in variety of patterns | 500,00€ |
| 050500 / 27 | Leather upholstery, in variety of patterns | 3.990,00 € |
| 050506 / 27 | BiColor leather upholstery, in variety of patterns | 4.290,00 € |
| 051305 / 20 | Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko | 1.190,00€ |
| 051311 / 20 | Living area carpet in special velours colour | 1.340,00 € |
| 090000 / 0 | Vehicle delivery at the factory, with extensive briefing in German language, handover inspection, diesel tank filling and factory tour | 1.590,00€ |
| | | |

STABILITY + SECURITY

VB-ACTIVEAIR

The VB-ActiveAir is the combination of a 4-channel air suspension and an active cushioning system.

VB-FullAir 4C vs. VB-ActiveAir:

Reduction of side tilt: 40 %
Reduction of side wind sensitivity: 8 %
Reduction of braking distance: 15 %
Reduction of rolling resistance: 9,3 %



The VB-ActiveAir is the only system with ESC approval from the vehicle manufacturer.

⊘ www.vbairsuspension.com



SIZE IN DETAIL

TELEVISIONS

All TV sets in your MORELO are manufactured by alphatronics, located in Nuremberg, Germany. This means consistently high quality that meets your expectations for a reliable mobile television. The devices are equipped with power-saving alphatronics wide-angle displays, integrated triple tuner (DVB-S2, DVB-T2 (H.265), DVB-C with CI + for receiving Pay TV), DVD player and Bluetooth 4.2 module.

alphatronics

OUR ADVICE

Simply put your favourite films on a USB stick and bring them on holiday with you. You'll be entertained throughout the trip, all thanks to alphatronics.



⊘ www.alphatronics.de

CHASSIS. COCKPIT. STRUCTURE. KITCHEN

Item / Weight¹

| | CHASSIS EMPIRE LINER MERCEDES BENZ ATEGO | Mercedes Ben Atego 12 t / 15 t |
|---|---|--|
| 018148 / 80 | 280 litres fuel tank instead of 180 litres serial standard (if sufficient space) | 500,00 € |
| 018169 / 0 | Light metal rims ALCOA Dura Bright on front and rear axle, 19,5" | 5.500,00 € |
| 018131 / 12 | Electrical and technical preparation for trailer coupling | 990,00 € |
| 018106 / 50 | Removable trailer coupling up to max. 2.910 kg incl. technical and electrical preparation for trailer coupling | 2.790,00 € |
| 018240 / 120 | Hydraulic leveling jacks with automatic leveling | 8.490,00 € |
| | | |
| | | |
| 021040 / 06 | Double horn air fanfare | 890,00 |
| 021040 / 06 | Double horn air fanfare | 890,00 |
| 021040 / 06 | Double horn air fanfare | 890,00 |
| 021040 / 06 | Double horn air fanfare Electrically operated roof awning 6,0 m, with dimmable LED lighting, incl. remote control | 2.990,00 |
| | | |
| 022008 / 60 | Electrically operated roof awning 6,0 m, with dimmable LED lighting, incl. remote control | 2.990,00 |
| 022008 / 60 022041 / 03 | Electrically operated roof awning 6,0 m, with dimmable LED lighting, incl. remote control Dimmable awning LED lighting on passenger's side with remote control | 2.990,00 |
| 022008 / 60 022041 / 03 025148 / 07 | Electrically operated roof awning 6,0 m, with dimmable LED lighting, incl. remote control Dimmable awning LED lighting on passenger's side with remote control Panoramic roof window, Heki 3, in bedroom (instead of standard midi roof window) | 2.990,00 690,00 890,00 |
| 022008 / 60 022041 / 03 025148 / 07 037500 / 07 | Electrically operated roof awning 6,0 m, with dimmable LED lighting, incl. remote control Dimmable awning LED lighting on passenger's side with remote control Panoramic roof window, Heki 3, in bedroom (instead of standard midi roof window) Furniture safe with electronic locking and automatic locking system | 2.990,00 690,00 890,00 320,00 |
| 022008 / 60 022041 / 03 025148 / 07 037500 / 07 | Electrically operated roof awning 6,0 m, with dimmable LED lighting, incl. remote control Dimmable awning LED lighting on passenger's side with remote control Panoramic roof window, Heki 3, in bedroom (instead of standard midi roof window) Furniture safe with electronic locking and automatic locking system | 2.990,00 690,00 890,00 320,00 |
| 022008 / 60 022041 / 03 025148 / 07 037500 / 07 020474 / 60 | Electrically operated roof awning 6,0 m, with dimmable LED lighting, incl. remote control Dimmable awning LED lighting on passenger's side with remote control Panoramic roof window, Heki 3, in bedroom (instead of standard midi roof window) Furniture safe with electronic locking and automatic locking system Aluminium exterior walls in 1,4 mm sheet thickness Luxury microwave oven in stainless steel, with grill function underneath of worktop | 2.990,00 690,00 890,00 320,00 1.490,00 |

Prices in Euro (incl. 20 % VAT)

1) Weight in kg

SPECIAL EQUIPMENT MORELO EMPIRE LINER

LIVING ROOM + BEDROOM . BATHROOM . ELECTRONICS . MULTIMEDIA

| Item / Weight ¹ | | all models |
|----------------------------|---|-------------|
| 051920 / 47 | Electrically activated folding bed (instead of front overhead lockers) | 2.490,00 \$ |
| 042204 / 07 | Height-adjustable table column, with extra cushion insert (only for standard lounge seating group) | 790,00 (|
| 051806 / 97 | Bar seating group (passenger's side), with adjustable single seat and multifunctional bench (incl. homologation for additional persons) | 2.290,00 \$ |
| 044102 / 05 | Central vacuum cleaner, with convenient emptying | 990,00 \$ |
| 036152 / 07 | Rear bed with lying surface over the entire width, for L-layouts | 990,00 |
| 036153 / 13 | Rear bed with lying surface over the entire width, for M-layouts, overhead lockers like in L-version, additional wardrobes | 1.990,00 |
| 036150 / 13 | Rear bed with lying surface over the entire width, for G-layouts, overhead lockers like in L-version, additional wardrobes | 1.990,00 |
| 045290 / 0 | Double pull-out furniture at the entrance, top one also with shelf (not for coats) | 590,00 |
| 045291 / 02 | Double pull-out furniture at the entrance, top one with glasses (not for coats) | 590,00 |
| 035985 / 50 | Seatbelt for 1 person at multifunctional seating bench (only for slide out models) | 3.500,00 |
| 035985 / 50 | Seatbelts for 2 persons at multifunctional seating bench (only for slide out models) | 3.500,00 |
| 035984 / 45 | Seatbelts for 2 persons at multifunctional seating bench | 890,00 |
| | | |
| 035990 / 05 | Greywater pump for transfer of wastewater into the toilet tank | 890,00 |
| 036186 / 20 | Luxury bathroom with separate toilet area and mini roof window | 1.990,00 |
| 025064 / 05 | Additional window in luxury bathroom compartment | 890,00 |
| 036033 / 03 | Extensible shower next to toilet for premium bathroom | 300,00 |
| 031050 / 02 | Alarm system | 1.290,00 |
| 025043 / 40 | Alarm system Roof air conditioning, for living area with infrared remote control (total vehicle height + 130 mm) | 3.190,00 |
| 023043 / 40 | | 3.170,00 |
| 025046 / 40 | Roof air conditioning, for bedroom with infrared remote control (not in combination with panoramic roof window - total vehicle height + 130 mm) | 3.190,00 |
| 037186 / 12 | Solar panel, with 130 W maximum power | 1.490,00 |
| 037187 / 23 | Solar panels, with 2 x 130 W maximum power | 2.190,00 |
| 037189 / 44 | Solar panels, with 4 x 130 W maximum power (if sufficient space on the roof) | 3.990,00 |
| 031448 / 28 | Additional Lithium battery 160 Ah (max. 4 batteries in total) | 2.990,00 |
| 001/50/05 | Sine wave inverter 300 W (with separate socket and on/off switch for continuous | / 50.00 |
| 031450 / 05 | use of small appliances, f.e. a respirator) | 450,00 |
| | | |
| 037477 / 56 | group), with assorted glassware, electrically lowerable, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB, 24" flat screen TV in bedroom (total vehicle height + 80 mm) | 7.290,00 |
| | Satellite TV system, with 24" flat screen underneath cabinet in entrance area (left-hand side), 85 cm dish, | |
| 037481 / 46 | fully automatic orientation, digital receiver, multi-user facility via TWIN-LNB and 24" flat screen TV in bedroom (total vehicle height + 80 mm) | 5.490,00 |
| 037475 / 56 | Satellite TV system with 32" flat screen in wall-mounted overhead locker (passenger's side), with assorted glassware, electrically lowerable, 85 cm dish, fully automatic orientation, multi-user facility via TWIN-LNB and 24" flat screen TV in bedroom (total vehicle height + 80mm) | 6.290,00 |
| | Satellite TV system with 32" flat screen mounted overhead above dashboard, electrically lowerable, 85 cm | |

| C . | Item / Weight ¹ | | all models |
|--------------|----------------------------|--|------------|
| ATER | 034202 / 03 | External shower on the driver's side in the double floor | 300,00 € |
| + | 018600 / 15 | Diesel auxiliary heating, with convenient continuous heating via heat exchanger (5.200 W), including timer | 2.950,00 € |
| Z | 033027 / 03 | Outside gas point, at passenger's side behind side skirt flap | 290,00€ |
| Н Н + | 033017 / 22 | 150 litres gas tank, with remote filling in the side wall and level indicator in control panel display instead of standard 120 litres (if enough space underneath chassis) | 400,00€ |
| SAS | 023105 / 100 | Diesel generator 4.000 W, Whisper Power | 9.800,00 € |
| 0 | 050100 / 0 | Microfibre upholstery, in variety of patterns | |
| | 050505 / 0 | BiColour microfibre upholstery, in variety of patterns | 500.00 € |
| + | 050500 / 27 | Leather upholstery, in variety of patterns | 3.990,00 € |
| П | 050506 / 27 | BiColor leather upholstery, in variety of patterns | 4.290,00 € |
| S. | 051304 / 20 | Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko | 1.190,00€ |
| | 051311 / 20 | Living area carpet in special velours colour | 1.340,00€ |
| | 090000 / 0 | Vehicle delivery at the factory, with extensive briefing in German language, handover inspection, diesel tank filling and factory tour | 1.590,00 € |

HOME WHEREVER YOU ARE

SATELLITE SYSTEM

When you buy a satellite system from ten Haaft, you are buying more than just a reliable brand product. You are also choosing our many years of experience, excellent service, intelligent technology and top quality!

Many service centres throughout Europe ensure reliability and rapid assistance.



OUR ADVICE

Oyster® is the user-friendly satellite system that offers a wide variety of programmes and top-class convenience.



⊘ www.ten-haaft.com

Prices in Euro (incl. 20 % VAT)

1) Weight in kg Standard equipment



















MORELO Reisemobile GmbH · Helmut-Reimann-Straße 2 · D-96132 Schlüsselfeld · Fon: +49 (0) 95 52 - 9296 00 · www.morelo-reisemobile.de

Subject to technical changes and errors. Please note that some of the illustrations in this catalogue show alternative designs or optional extra fittings, which would incur additional costs. Variations in colour may arise during printing. This document, including extracts thereof, may only be reproduced with the written permission of MORELO Reisemobile GmbH.

The prices listed for vehicles and extras apply to their purchase and licensing in Germany. They are given in Euro and include VAT at 20%. We reserve the right to adjust prices accordingly in the event of VAT increases during the delivery period. All prices represent nonbinding recommendations ex works. Price changes for basic vehicles will cause price adjustments based on the additional price for the basic vehicle. The prices for extras are only valid if they are fitted in the factory and scheduled in due time. Retrofitted extras will incur additional material and assembly costs.

Prices include ancillary costs for pre-shipment of the chassis and TÜV certification. Transport costs to abroad or foreign registration costs are not included.

We reserve the right to make technical modifications, providing overall product quality is maintained or improved and there is no restriction in terms of the designated use.

This price list applies to orders as from the 1st of January 2019. All previous price lists will cease to be valid. Errors and omissions excepted.

¹ The mass of the vehicle in running order includes: driver (75 kg), full fuel tank, 100 litres of fresh water, full gas bottles, tool kit and spare wheel. The fitting of extras and accessories may alter the weight and dimensions. All dimensions and weights are based on the knowledge available at the time of going to print. Deviations of +/- 5% are possible and deemed acceptable.